

INDUSTRIAL COMPONENT DATA

P2L151312 LOVATO ROPE-PULL LEVER LIMIT SWITCHES FOR EMERGENCY STOPPING, ISO 13850 COMPLIANT, WITH RESET BUTT..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: P2L151312



Manufacturer	LOVATO ELECTRIC
MPN / Reference	P2L151312
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-B52C42E5EE
Generated	2026-08-06

Product Overview

ROPE-PULL LEVER LIMIT SWITCHES FOR EMERGENCY STOPPING, ISO 13850 COMPLIANT, WITH RESET BUTTON, CONTACTS 2NO+2NC. 120N OPERATING FORCE

ROPE LEVER 2NA+2NC LIM.SWITCH 12KG P2L15

Rope-pull lever limit switch for emergency stopping, ISO 13850 compliant, with RESET button. Contacts 2NO+2NC. 120N operating force

EMERGENCY ROPE LIMIT SWITCH (ISO 13850 COMPLIANT), WITH RESET BUTTON, 2NO+2NC CONTACTS. TENSILE FORCE 120N

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

P2L151312

Rope-pull lever limit switch for emergency stopping, ISO 13850 compliant, with RESET button. Contacts 2NO+2NC. 120N operating force

Technical specifications

Type of product: Metal and plastic limit switches Product characteristics: Rope-pull lever with reset button Housing

material: Aluminium-zinc alloy Type of contacts: 2NO+2NC Cable entry: PG11 with cable gland Order code P2L151312

Weight [g] 510

Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 145X065X106
Volume [cm³] 999.05
Bar code [EAN13] 8013975085837
HS Code 85365080
183.64 £
ETIM for P2L151312 Sensors (EC000030)
Feature Name
Feature Value
Alignment of the control element (EF008793)
Other
Type of interface (EF006977)
None
Type of control element (EF006976)
Other
Degree of protection (IP) (EF005474)
IP65
Construction type housing (EF004008)
Cuboid
Explosion safety category for dust (EF003998)
None
Explosion safety category for gas (EF003997)
None
Type of electric connection (EF003961)
Cable entry PG
Type of interface for safety communication (EF003956)
None
Coating housing (EF001601)
Other
Housing material (EF001596)
Metal
Switching function (EF000189)
Other
Ambient temperature during operating (EF007515)
-25 °C
Switching function latching (EF007447)
Yes
Output electronic (EF006987)
No
Forced opening (EF006694)
Yes
With status indication (EF001602)
Yes
Suitable for safety functions (EF001597)
No
Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open cont...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / P2L151312 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.