

## INDUSTRIAL COMPONENT DATA

# 7GN2592O88 GN2592O88 LOVATO ROTARY CAM SWITCHE, GN SERIES, O88-O98-O99 VERSION, REAR MOUNT, DOOR-COUPLING AN..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2592O88



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | 7GN2592O88      |
| Catalog number  | GN2592O88       |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-0FCBD383A1   |
| Generated       | 2026-08-05      |

## Product Overview

ROTARY CAM SWITCHE, GN SERIES, O88-O98-O99 VERSION, REAR MOUNT, DOOR-COUPLING AND PADLOCK SYSTEM, RED/YELLOW. ON/OFF SWITCH, FOUR-POLE - 2 WAFERS - SCHEME 92, 25A

ON-OFF SW. 4P 25A REAR MOUNT. R/Y 65X65

Rotary cam switch 7GN series, ON-OFF switch 4 poles 25A, for rear mounting with red/yellow handle padlockable in 0, door coupling and protection covers, front plate 65X65mm

ROTARY CAM SWITCH 7GN SERIES, ON-OFF SWITCH 4 POLES 25A, FOR REAR MOUNTING WITH RED/YELLOW HANDLE PADLOCKABLE IN 0, DOOR COUPLING AND PROTECTION COVERS, FRONT PLATE 65X65MM

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                         |
|--------------|---------------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC |
|--------------|---------------------------------------------------------|

## Additional Product Information

7GN2592O88

Rotary cam switch 7GN series, ON-OFF switch 4 poles 25A, for rear mounting with red/yellow handle padlockable in 0, door coupling and protection covers, front plate 65X65mm

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:92 - ON/OFF switch 4 polesIEC Conventional free air thermal current

Ith [A]:25Mounting form:O88 - Rear mounting with red/yellow handle padlockable in 0, door coupling and protection

coversSeries:7GN - round-shaped contact blockOrder code 7GN2592O88

Weight [g] 259  
Qty. per package 1  
Multiple qty. of packs per order 1  
Package dimensions [mm] 050X050X102  
Volume [cm³] 255  
Bar code [EAN13] 3850144000582  
HS Code 85365080  
68.1 £  
ETIM for 7GN2592O88 Low-voltage industrial controls and switchgear (EC001105)  
Feature Name  
Feature Value  
Type of control element (EF006976)  
Door coupling rotary drive  
Type of electrical connection of main circuit (EF006819)  
Screw connection  
Degree of protection (IP), front side (EF003118)  
IP40  
Housing material (EF001596)  
Plastic  
Model (EF000010)  
On/Off switch  
Complete device in housing (EF007317)  
Yes  
Suitable for intermediate mounting (EF007264)  
No  
Suitable for distribution board installation (EF007262)  
Yes  
Suitable for front mounting (EF007246)  
No  
Suitable for floor mounting (EF007243)  
No  
With retraction in 0-position (EF002428)  
No  
With zero (off) position (EF001416)  
Yes  
Number of poles (EF001391)  
4  
Rated permanent current I<sub>u</sub> (EF001389)  
25 A  
Rated operation power at AC-3, 400 V (EF001364)  
7.5 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2592O88 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.