

INDUSTRIAL COMPONENT DATA

KMQ1L21 LOVATO LIMIT SWITCH, K SERIES, SLOTTED LEVER, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, METAL BO..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KMQ1L21



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KMQ1L21
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-DAB1D176A5
Generated	2026-08-04

Product Overview

LIMIT SWITCH, K SERIES, SLOTTED LEVER, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, METAL BODY, CONTACTS 2NO+1NC SLOW BREAK

SLOTTED LEVER METAL SAFETY SWITCH 2NO+

Limit switch, K series, slotted lever, 1 bottom cable entry. Dimensions to EN 50047, metal body, contacts 2NO+1NC slow action

K SERIES LIMIT SWITCH, SLOTTED LEVER, 1 BOTTOM ENTRY FOR CABLE. DIMENSIONS ACCORDING TO EN 50047, METAL HOUSING, SLOW 2NO+1NC CONTACTS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

KMQ1L21

Limit switch, K series, slotted lever, 1 bottom cable entry. Dimensions to EN 50047, metal body, contacts 2NO+1NC slow action

Technical specifications

Type of product:Safety limit switchesProduct characteristics:Slotted leverHousing material:Aluminium-zinc alloyCable entry:M20 on the bottomType of contacts:2NO+1NC Slow actionOrder code KMQ1L21

Weight [g] 220

Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 150X060X036
Volume [cm³] 324
Bar code [EAN13] 8013975117309
HS Code 85365080
90.2 £
ETIM for KMQ1L21 Sensors (EC000030)
Feature Name
Feature Value
Alignment of the control element (EF008793)
Other
Type of interface (EF006977)
None
Type of control element (EF006976)
Other
Degree of protection (IP) (EF005474)
IP65
Construction type housing (EF004008)
Cuboid
Explosion safety category for dust (EF003998)
None
Explosion safety category for gas (EF003997)
None
Type of electric connection (EF003961)
Cable entry metrical
Type of interface for safety communication (EF003956)
None
Coating housing (EF001601)
Powder coated
Housing material (EF001596)
Metal
Switching function (EF000189)
Slow-action switch
Ambient temperature during operating (EF007515)
-25 °C
Switching function latching (EF007447)
No
Output electronic (EF006987)
No
Forced opening (EF006694)
Yes
With status indication (EF001602)
No
Suitable for safety functions (EF001597)
Yes
Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KMQ1L21 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.