

INDUSTRIAL COMPONENT DATA

KBQ1L03 LOVATO LIMIT SWITCH, K SERIES, SLOTTED LEVER, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, PLASTIC ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KBQ1L03



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KBQ1L03
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-1500BC4AA0
Generated	2026-08-02

Product Overview

LIMIT SWITCH, K SERIES, SLOTTED LEVER, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, PLASTIC BODY, CONTACTS 3NC SLOW BREAK

SLOTTED LEVER PLASTIC SAFETY SWITCH 3NC

Limit switch, K series, slotted lever, 1 bottom cable entry. Dimensions to EN 50047, plastic body, contacts 3NC slow action

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

KBQ1L03

Limit switch, K series, slotted lever, 1 bottom cable entry. Dimensions to EN 50047, plastic body, contacts 3NC slow action

Technical specifications

Type of product:Safety limit switchesProduct characteristics:Slotted leverHousing material:Polymer thermoplasticCable entry:M20 on the bottomType of contacts:3NC Slow actionOrder code KBQ1L03

Weight [g] 140

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 150X060X036

Volume [cm³] 324

Bar code [EAN13] 8013975115466
HS Code 85365080
79.49 £
ETIM for KBQ1L03 Sensors (EC000030)
Feature Name
Feature Value
Alignment of the control element (EF008793)
Other
Type of interface (EF006977)
None
Type of control element (EF006976)
Other
Degree of protection (IP) (EF005474)
IP65
Construction type housing (EF004008)
Cuboid
Explosion safety category for dust (EF003998)
None
Explosion safety category for gas (EF003997)
None
Type of electric connection (EF003961)
Cable entry metrical
Type of interface for safety communication (EF003956)
None
Coating housing (EF001601)
Other
Housing material (EF001596)
Plastic
Switching function (EF000189)
Slow-action switch
Ambient temperature during operating (EF007515)
-25 °C
Switching function latching (EF007447)
No
Output electronic (EF006987)
No
Forced opening (EF006694)
Yes
With status indication (EF001602)
No
Suitable for safety functions (EF001597)
Yes
Number of contacts as change-over contact (EF008257)
0
Number of contacts as normally open contact (EF008256)
0
Number....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KBQ1L03 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.