

INDUSTRIAL COMPONENT DATA

SM1P0250 LOVATO MOTOR PROTECTION CIRCUIT BREAKER, IEC BREAKING CAPACITY ICU 100KA AT 400V, 1.6...2.5A

Brand: LOVATO ELECTRIC | Manufacturer Part Number: SM1P0250



Manufacturer	LOVATO ELECTRIC
MPN / Reference	SM1P0250
Catalog number	10000
Category	Motor protection circuit-breaker
Minimum order	1 Pcs
Document ID	EO-82D6343101
Generated	2026-08-03

Product Overview

MOTOR PROTECTION CIRCUIT BREAKER, IEC BREAKING CAPACITY ICU 100KA AT 400V, 1.6...2.5A

MOTOR PROT.CIRC.BR. SM1P 1,6-2,5A

Motor protection circuit breaker, IEC breaking capacity Icu 100kA at 400V, 1.6...2.5A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Motor protection circuit breakers - LOVATO ELECTRIC

Additional Product Information

SM1P0250

Motor protection circuit breaker, IEC breaking capacity Icu 100kA at 400V, 1.6...2.5A

Technical specifications

Type of product:Motor protection circuit breakerThermal trip adjustment range [A]:1.6...2.5Rated current In [A]:2.5Short-circuit current breaking capacity (Icu) at AC 400V [kA]:100Type of protection:Magnetic and thermalType of control:Push buttonCertified UL Type E:NoOrder code SM1P0250

Weight [g] 298

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 080X047X098

Volume [cm³] 368.48

Bar code [EAN13] 8013975216163

HS Code 85362010

64.95 £

ETIM for SM1P0250 Low-voltage industrial controls and switchgear (EC000074)

Feature Name

Feature Value

Device construction (EF008240)

Complete device in housing

Switch off technique (EF007007)

Thermomagnetic

Type of control element (EF006976)

Push button

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP) (EF005474)

IP20

Adjustment range undelayed short-circuit release (EF007131)

32.5 A

Overload release current setting (EF002336)

1.6 A

Rated operating voltage (EF001435)

0 V

Phase failure sensitive (EF007400)

Yes

With thermal overload protection (EF006233)

Yes

With integrated under voltage release (EF001390)

No

With integrated auxiliary switch (EF001387)

No

Rated short-circuit breaking capacity Icu at 400 V, AC (EF007049)

100 kA

Number of poles (EF001391)

3

Rated permanent current Iu (EF001389)

2.5 A

Depth (EF000049)

75 mm

Height (EF000040)

97 mm

Widt...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / SM1P0250 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.