

INDUSTRIAL COMPONENT DATA

TL21010 LOVATO PLASTIC LIMIT SWITCH, T SERIES (DIMENSIONS TO EN 50041), KEY OPERATED, WITHOUT RESET BUTTON, ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: TL21010



Manufacturer	LOVATO ELECTRIC
MPN / Reference	TL21010
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-A99AEC56EB
Generated	2026-08-05

Product Overview

PLASTIC LIMIT SWITCH, T SERIES (DIMENSIONS TO EN 50041), KEY OPERATED, WITHOUT RESET BUTTON, CONTACTS 1NO+1NC SLOW BREAK. STRAIGHT KEY

STRAIGHT KEY OPER. PLASTIC L/S 1NO+1NC

Plastic limit switch, T series (dimensions to EN 50041), key operated, without RESET button. Contacts 1NO+1NC slow action. Straight key

PLASTIC LIMIT SWITCH T SERIES (DIMENSIONS ACCORDING TO EN 50041), KEYED, WITHOUT RESET BUTTON, SLOW 1NO+1NC CONTACTS. STRAIGHT KEY

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

TL21010

Plastic limit switch, T series (dimensions to EN 50041), key operated, without RESET button. Contacts 1NO+1NC slow action. Straight key

Technical specifications

Type of product: Metal and plastic limit switches Product characteristics: Key operated Housing material: Polymer thermoplastic Type of contacts: 1NO+1NC Slow action Key shape: Straight Cable entry: PG13.5 Order code TL21010 Weight [g] 140

Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 120X045X060
Volume [cm³] 324
Bar code [EAN13] 8013975085035
HS Code 85365080
79.98 £
ETIM for TL21010 Sensors (EC000030)
Feature Name
Feature Value
Alignment of the control element (EF008793)
Other
Type of interface (EF006977)
None
Type of control element (EF006976)
Other
Degree of protection (IP) (EF005474)
IP66
Construction type housing (EF004008)
Cuboid
Explosion safety category for dust (EF003998)
None
Explosion safety category for gas (EF003997)
None
Type of electric connection (EF003961)
Cable entry PG
Type of interface for safety communication (EF003956)
None
Coating housing (EF001601)
Other
Housing material (EF001596)
Plastic
Switching function (EF000189)
Slow-action switch
Ambient temperature during operating (EF007515)
-25 °C
Switching function latching (EF007447)
No
Output electronic (EF006987)
No
Forced opening (EF006694)
Yes
With status indication (EF001602)
No
Suitable for safety functions (EF001597)
No
Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open co...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / TL21010 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.