

INDUSTRIAL COMPONENT DATA

7GN3290U GN3290U LOVATO ROTARY CAM SWITCH, GN SERIES, U VERSION FRONT MOUNT. ON/OFF SWITCH, ONE-POLE - 1 WA..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN3290U



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN3290U
Catalog number	GN3290U
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-526F83BAC4
Generated	2026-08-02

Product Overview

ROTARY CAM SWITCH, GN SERIES, U VERSION FRONT MOUNT. ON/OFF SWITCH, ONE-POLE - 1 WAFER - SCHEME 90, 32A

I GN90 32A Switch Mod. U 65x65

Rotary cam switch 7GN series, ON-OFF switch 1 pole 32A, for front mounting with black handle, front plate 65X65mm

ROTARY CAM SWITCH 7GN SERIES, ON-OFF SWITCH 1 POLE 32A, FOR FRONT MOUNTING WITH BLACK HANDLE, FRONT PLATE 65X65MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

Additional Product Information

7GN3290U

Rotary cam switch 7GN series, ON-OFF switch 1 pole 32A, for front mounting with black handle, front plate 65X65mm

Technical specifications

Type of product:ON/OFF switchesSwitching diagram:90 - ON/OFF switch 1 poleIEC Conventional free air thermal current

Ith [A]:32Mounting form:U - Front mounting with black handleSeries:7GN - round-shaped contact blockOrder code

7GN3290U

Weight [g] 173

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 068X068X105

Volume [cm³] 485.52

Bar code [EAN13] 3850144005228

HS Code 85365080

33.74 £

ETIM for 7GN3290U Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP40

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

Yes

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

2

Rated permanent current I_u (EF001389)

32 A

Rated operation power at AC-3, 400 V (EF001364)

11 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN3290U with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.