

## INDUSTRIAL COMPONENT DATA

# 7GN2552U GN2552U LOVATO ROTARY CAM SWITCHE, GN SERIES, U VERSION, FRONT MOUNT. CHANGEOVER SWITCH WITH 0 (OFF..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2552U



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | 7GN2552U        |
| Catalog number  | GN2552U         |
| Category        | Off-load switch |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-62F0DF678D   |
| Generated       | 2026-08-02      |

## Product Overview

ROTARY CAM SWITCHE, GN SERIES, U VERSION, FRONT MOUNT. CHANGEOVER SWITCH WITH 0 (OFF), TWO-POLE - 2 WAFERS - SCHEME 52, 25A

Switch II "1-0-2" GN52 25A Mod. U 48x48

Rotary cam switch 7GN series, changeover switch 2 poles 25A, for front mounting with black handle, front plate 48X48mm  
ROTARY CAM SWITCH 7GN SERIES, CHANGEOVER SWITCH 2 POLES 25A, FOR FRONT MOUNTING WITH BLACK HANDLE, FRONT PLATE 48X48MM

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC

## Additional Product Information

7GN2552U

Rotary cam switch 7GN series, changeover switch 2 poles 25A, for front mounting with black handle, front plate 48X48mm

Technical specifications

Type of product:Changeover switchesSwitching diagram:52 - Changeover switch 2 polesIEC Conventional free air thermal current Ith [A]:25Mounting form:U - Front mounting with black handleSeries:7GN - round-shaped contact blockOrder code 7GN2552U

Weight [g] 121

Qty. per package 1

Multiple qty. of packs per order 1  
Package dimensions [mm] 050X050X082  
Volume [cm<sup>3</sup>] 205  
Bar code [EAN13] 3850144004917  
HS Code 85365080  
Discover more about LOVATO Electric rotary cam switches 47.17 £  
ETIM for 7GN2552U Low-voltage industrial controls and switchgear (EC001105)  
Feature Name  
Feature Value  
Type of control element (EF006976)  
Short thumb-grip  
Type of electrical connection of main circuit (EF006819)  
Screw connection  
Degree of protection (IP), front side (EF003118)  
IP40  
Housing material (EF001596)  
Plastic  
Model (EF000010)  
On/Off switch  
Complete device in housing (EF007317)  
Yes  
Suitable for intermediate mounting (EF007264)  
No  
Suitable for distribution board installation (EF007262)  
Yes  
Suitable for front mounting (EF007246)  
Yes  
Suitable for floor mounting (EF007243)  
No  
With retraction in 0-position (EF002428)  
No  
With zero (off) position (EF001416)  
Yes  
Number of poles (EF001391)  
4  
Rated permanent current I<sub>u</sub> (EF001389)  
25 A  
Rated operation power at AC-3, 400 V (EF001364)  
7.5 kW

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2552U with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.