

INDUSTRIAL COMPONENT DATA

11BGF0901D012 BGF0901D012 LOVATO THREE-POLE CONTACTOR, IEC OPERATING CURRENT IE (AC3) 9A, DC COIL, 12VDC, 1N..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 11BGF0901D012



Manufacturer	LOVATO ELECTRIC
MPN / Reference	11BGF0901D012
Catalog number	BGF0901D012
Category	Power contactor, AC switching
Minimum order	1 Pcs
Document ID	EO-3A3EA4EB2B
Generated	2026-08-03

Product Overview

THREE-POLE CONTACTOR, IEC OPERATING CURRENT IE (AC3) = 9A, DC COIL, 12VDC, 1NC AUXILIARY CONTACT, FASTON TERMINALS

Minicontactor Tripolar 9A AC3 1 NC Coil 12V DC Faston

Three-pole contactor, IEC operating current Ie (AC3) = 9A, DC coil, 12VDC, 1NC auxiliary contact, Faston terminals

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Industrial Contactors and Accessories - LOVATO ELECTRIC
--------------	---

Additional Product Information

11BGF0901D012

Three-pole contactor, IEC operating current Ie (AC3) = 9A, DC coil, 12VDC, 1NC auxiliary contact, Faston terminalsType of product:Contactors

Number of poles:3

Type of coil:DC coil

Rated coil voltage [V]:12

IEC operating current Ith (AC1) [A]:20

IEC operating current and power Ie (AC3) 400V [A/Kw]:9A / 4.0Kw

UL/CSA horsepower ratings 480V [HP]:5

Type of built-in auxiliary contacts:1NC

Type of mounting:Screw / DIN rail 35mm

Order code 11BGF0901D012

Weight [g] 224

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 060X045X060

Volume [cm³] 162

Bar code [EAN13] 8013975121108

HS Code 85365080

62.91 £

ETIM for 11BGF0901D012 Low-voltage industrial controls and switchgear (EC000066)

Feature Name

Feature Value

Voltage type for actuating (EF008242)

DC

Type of electrical connection of main circuit (EF006819)

Flat plug-in connection

Rated control supply voltage DC (EF003980)

12 V

Modular version (EF001126)

No

Rated operation current Ie at AC-4, 400 V (EF008495)

4 A

Rated operation current Ie at AC-1, 400 V (EF001393)

20 A

Rated operation current Ie at AC-3, 400 V (EF001392)

9 A

Number of auxiliary contacts as normally closed contact (EF001377)

1

Number of auxiliary contacts as normally open contact (EF001376)

0

Number of normally closed contacts as main contact (EF001375)

0

Number of normally open contacts as main contact (EF001374)

3

Rated operation power at AC-3, 400 V (EF001364)

4 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 11BGF0901D012 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.