

INDUSTRIAL COMPONENT DATA

GE0125F LOVATO THREE-POLE SWITCH DISCONNECTOR, WITH NFC FUSE HOLDER, 125A

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GE0125F



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GE0125F
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-4FCA842489
Generated	2026-08-04

Product Overview

THREE-POLE SWITCH DISCONNECTOR, WITH NFC FUSE HOLDER, 125A

3P S-D W/FUSE HOLDER NFC22X58 AC21A 125A

Three-pole switch disconnecter, with NFC fuse holder, 125A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GE0125F

Three-pole switch disconnecter, with NFC fuse holder, 125A

Technical specifications

Type of product:Switch disconnectors with fuse holderNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:125Type of fuse:NFCType of installation:Screw on plateOrder code GE0125F

Weight [g] 1847

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 180X190X145

Volume [cm³] 4959

Bar code [EAN13] 8013975181560

HS Code 85365080

253.39 £

ETIM for GE0125F Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Type of control element (EF006976)

Door coupling rotary drive

Type of electrical connection of main circuit (EF006819)

Bolt connection

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

No

Rated permanent current at AC-23, 400 V (EF011777)

125 A

Rated permanent current at AC-21, 400 V (EF009165)

125 A

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated operation....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GE0125F with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.