

INDUSTRIAL COMPONENT DATA

31L48TPBM24 L48TPBM24 LOVATO TIME RELAY ON DELAY. MULTISCALE AND SINGLE VOLTAGE, PLUG-IN AND FLUSH MOUNT VER..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 31L48TPBM24



Manufacturer	LOVATO ELECTRIC
MPN / Reference	31L48TPBM24
Catalog number	L48TPBM24
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-95C574B9D5
Generated	2026-08-02

Product Overview

TIME RELAY ON DELAY. MULTISCALE AND SINGLE VOLTAGE, PLUG-IN AND FLUSH MOUNT VERSION 48X48MM, 24VAC/DC

Delayed Time to Excitation 2 cont. con. 24VAC 10min.

Time relay on delay. Multiscale and single voltage, plug-in and flush-mount version 48X48mm, 24VAC/DC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Time relays - LOVATO ELECTRIC
--------------	---

Additional Product Information

31L48TPBM24

Time relay on delay. Multiscale and single voltage, plug-in and flush-mount version 48X48mm, 24VAC/DC

Technical specifications

Type of product:Time relaysType of installation:Plug-in and flush mountingFunctions:On delayProgramming mode:Dip-switches and knobOrder code 31L48TPBM24

Weight [g] 131.7

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 053X053X106

Volume [cm³] 297.754

Bar code [EAN13] 8013975066072

HS Code 91070000

138.82 £

ETIM for 31L48TPBM24 Relays (EC001439)

Feature Name

Feature Value

Voltage type for actuating (EF008242)

AC/DC

Type of electric connection (EF003961)

Plug-in connection

Rated control supply voltage DC (EF003980)

24 V

Rated control supply voltage AC 60 Hz (EF003979)

24 V

Rated control supply voltage AC 50 Hz (EF003978)

24 V

Time range (EF003384)

0.05 s

Suitable for DIN rail (top hat rail) mounting (EF007250)

No

Outputs, reversible delayed/undelayed (EF006988)

No

Pluggable on auxiliary contact block (EF006952)

No

Function pulse shaping (EF003403)

No

Function floating contact on de-energization (EF003402)

No

Function delay on de-energization (EF003401)

No

Function star-delta (EF003380)

No

Function floating contact on energization (EF003378)

No

Function delay-on energization (EF003374)

Yes

With semiconductor output (EF003373)

No

Clock function, starting with pulse, variable (EF003366)

No

Clock function, starting with pause, variable (EF003365)

No

Function flashing, starting with pulse, fixed time (EF003364)

No

F...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 31L48TPBM24 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.