

## INDUSTRIAL COMPONENT DATA

# 31L48TPS240 L48TPS240 LOVATO TIME RELAY ON DELAY. MULTISCALE AND MULTIVOLTAGE, PLUG-IN AND FLUSH MOUNT VERSI..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 31L48TPS240



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | 31L48TPS240     |
| Catalog number  | L48TPS240       |
| Category        | Timer relay     |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-7F8466ABE2   |
| Generated       | 2026-08-06      |

## Product Overview

TIME RELAY ON DELAY. MULTISCALE AND MULTIVOLTAGE, PLUG-IN AND FLUSH MOUNT VERSION 48X48MM, 24VAC/DC, 110VAC, 220...240VAC

Temp. retard. to energy. multies. and multiten.

Time relay on delay. Multiscale and multivoltage, plug-in and flush-mount version 48X48mm, 24VAC/DC, 110VAC, 220...240VAC

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                 |
|--------------|-------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Time relays - LOVATO ELECTRIC |
|--------------|-------------------------------------------------|

## Additional Product Information

31L48TPS240

Time relay on delay. Multiscale and multivoltage, plug-in and flush-mount version 48X48mm, 24VAC/DC, 110VAC, 220...240VAC

Technical specifications

Type of product:Time relaysType of installation:Plug-in and flush mountingFunctions:On delayProgramming mode:Dip-switches and knobOrder code 31L48TPS240

Weight [g] 124

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 053X053X106

Volume [cm<sup>3</sup>] 297.754

Bar code [EAN13] 8013975062807

HS Code 91070000

121.56 £

ETIM for 31L48TPS240 Relays (EC001439)

Feature Name

Feature Value

Voltage type for actuating (EF008242)

AC/DC

Type of electric connection (EF003961)

Plug-in connection

Rated control supply voltage DC (EF003980)

24 V

Rated control supply voltage AC 60 Hz (EF003979)

24 V

Rated control supply voltage AC 50 Hz (EF003978)

24 V

Time range (EF003384)

0.3 s

Suitable for DIN rail (top hat rail) mounting (EF007250)

No

Outputs, reversible delayed/undelayed (EF006988)

No

Pluggable on auxiliary contact block (EF006952)

No

Function pulse shaping (EF003403)

No

Function floating contact on de-energization (EF003402)

No

Function delay on de-energization (EF003401)

No

Function star-delta (EF003380)

No

Function floating contact on energization (EF003378)

No

Function delay-on energization (EF003374)

Yes

With semiconductor output (EF003373)

No

Clock function, starting with pulse, variable (EF003366)

No

Clock function, starting with pause, variable (EF003365)

No

Function flashing, starting with pulse, fixed tim...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 31L48TPS240 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.