

INDUSTRIAL COMPONENT DATA

KPA1L11 LOVATO PREWIRED METAL LIMIT SWITCH, K SERIES, TOP PUSH ROD PLUNGER, CONTACTS 1NO+1NC SLOW BREAK

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KPA1L11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KPA1L11
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-42B30F9AE1
Generated	2026-08-05

Product Overview

PREWIRED METAL LIMIT SWITCH, K SERIES, TOP PUSH ROD PLUNGER, CONTACTS 1NO+1NC SLOW BREAK

TOP PUSH PREWIRED METAL L/S 1NO+1NC SLOW

Prewired with 2m long cable metal limit switch, K series, top push rod plunger. Contacts 1NO+1NC slow action

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC

Additional Product Information

KPA1L11

Prewired with 2m long cable metal limit switch, K series, top push rod plunger. Contacts 1NO+1NC slow action

Technical specifications

Type of product:Prewired metal limit switchesProduct characteristics:Top push rod plungerHousing material:Aluminium-zinc alloyRoller material:MetalType of contacts:1NO+1NC Slow actionOrder code KPA1L11

Weight [g] 286

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 190X190X030

Volume [cm³] 1083

Bar code [EAN13] 8013975150061

HS Code 85365080

69.81 £

ETIM for KPA1L11 Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Other

Type of interface (EF006977)

None

Type of control element (EF006976)

Plunger

Degree of protection (IP) (EF005474)

IP67

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

With cable preassembled

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Slow-action switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

1

N...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KPA1L11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.