

INDUSTRIAL COMPONENT DATA

TS10110 LOVATO PLASTIC LIMIT SWITCH, T SERIES (DIMENSIONS TO EN 50041), TOP PUSH ROD PLUNGER, WITHOUT RESET ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: TS10110



Manufacturer	LOVATO ELECTRIC
MPN / Reference	TS10110
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-C1EF926925
Generated	2026-08-03

Product Overview

PLASTIC LIMIT SWITCH, T SERIES (DIMENSIONS TO EN 50041), TOP PUSH ROD PLUNGER, WITHOUT RESET BUTTON, CONTACTS 1NO+1NC SNAP ACTION. STEEL PLUNGER

TOP PUSH ROD PLUNGER 1NO+1NC LIMIT SWITC

Plastic limit switch, T series (dimensions to EN 50041), top push rod plunger, without RESET button. Contacts 1NO+1NC snap action. Steel plunger

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

TS10110

Plastic limit switch, T series (dimensions to EN 50041), top push rod plunger, without RESET button. Contacts 1NO+1NC snap action. Steel plunger

Technical specifications

Type of product: Metal and plastic limit switches Product characteristics: Top push rod plunger Housing material: Polymer thermoplastic Rod characteristics: Steel Type of contacts: 1NO+1NC Snap action Cable entry: PG13.5 Order code TS10110

Weight [g] 130

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 120X045X060

Volume [cm³] 324

Bar code [EAN13] 8013975084410

HS Code 85365080

39.95 £

ETIM for TS10110 Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Other

Type of interface (EF006977)

None

Type of control element (EF006976)

Plunger

Degree of protection (IP) (EF005474)

IP66

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry PG

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Other

Housing material (EF001596)

Plastic

Switching function (EF000189)

Quick-break switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of co...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / TS10110 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.