

INDUSTRIAL COMPONENT DATA

PLNA2RW LOVATO METAL LIMIT SWITCH, PL SERIES, TOP ROLLER PUSH PLUNGER, CONTACTS 2NC. IP65

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PLNA2RW



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PLNA2RW
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-5950D36599
Generated	2026-08-04

Product Overview

METAL LIMIT SWITCH, PL SERIES, TOP ROLLER PUSH PLUNGER, CONTACTS 2NC. IP65

TOP ROLLER PUSH LIMIT SWITCH PLNA2R 2NC

Metal limit switch, PL series, top roller push plunger. Contacts 2NC. IP65

PL SERIES METAL LIMIT SWITCH, ROD WITH ROLLER, 2NC CONTACTS. IP65

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

PLNA2RW

Metal limit switch, PL series, top roller push plunger. Contacts 2NC. IP65

Technical specifications

Type of product: Metal and plastic limit switches
Product characteristics: Top roller push plunger
Housing material: Aluminium-zinc alloy
Type of contacts: 2NC
Cable entry: PG11 with cable gland
Order code: PLNA2RW

Weight [g] 280

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 088X055X120

Volume [cm³] 580.8

Bar code [EAN13] 8013975078358

HS Code 85365080

63.73 £

ETIM for PLNA2RW Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Roller cam straight

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller cam

Degree of protection (IP) (EF005474)

IP65

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry PG

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Other

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PLNA2RW with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.