

INDUSTRIAL COMPONENT DATA

NDR-240-24 MEANWELL AC-DC Single output Industrial DIN rail power supply, Output 24VDC / 10A, metal case

Brand: MEANWELL | Manufacturer Part Number: NDR-240-24



Manufacturer	MEANWELL
MPN / Reference	NDR-240-24
Catalog number	NDR-240-24
Category	DIN RAIL
Minimum order	1 unit
Document ID	EO-C2E1FB01AA
Generated	2026-08-05

Product Overview

NDR-240-24 MEANWELL AC-DC Single output Industrial DIN rail power supply, Output 24VDC / 10A, metal case

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path MEANWELL > DIN RAIL > NDR

Additional Product Information

Name

NDR-240-24

Long Description

Switch mode Power supply.

Format for mounting on Din Rail, compact size.

Range of universal Input 90-264vac 47-63Hz.

Output voltage 24vdc. (Adjustable with potentiometer 24-28Vcc).

Output intensity: 10A.

Power: 240W.

Efficiency: 88.5 per cent.

Factor corrector, power 0.95 at 230vac.

Working temperature: from -20 up to +70°C of ambient temperature. Consult the technical data sheet to see the curves of drift.

Dimensions (Width x Height x depth): 63 x 125,2 x 113,5 mm,

3 years of warranty.

Manufacturer: MEANWELL.

The series NDR are power supplies DIN rail-metal and low-cost.

With wide input range single phase have a compact size, with width between 32-85,5 mm, for installation on DIN rail TS-35 / 7,5 or 15.

Comply with the rules of conducted emissions EN55022 Class B.

Country of Origin

China

Stock

Yes

Manufacturer

MEAN WELL

Product type

Power supply AC/DC

Format

Din Rail

Subformato

Narrow

Applications

Industrial, Telecommunications

Series

NDR-240

State

Recommended Model

Warranty (Years)

3,00

Height (mm)

125.20

Width (mm)

63.00

Long/Background

113.50

Type of Entry CA

Single-phase

AC input Min

90,00

AC input Max

264,00

Input frequency

50 Hz, 60 Hz

Input connector

Screw-Type

Output voltage

24,00

Power (W)

240,00

Peak Power (W)

Two hundred forty

Output connector

Screw-Type

Fan

Yes

Isolation (V)

3.000,00

Approvals

CE, UL

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send MEANWELL / NDR-240-24 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.