

INDUSTRIAL COMPONENT DATA

2TMA310051B0001 ST/U10.1.1-825 NIESSEN SmartTouch 10 NG/acero

Brand: NIESSEN | Manufacturer Part Number: 2TMA310051B0001

PRODUCT IMAGE\nNOT
AVAILABLE

Manufacturer	NIESSEN
MPN / Reference	2TMA310051B0001
Catalog number	ST/U10.1.1-825
Category	Signalling and operation panel for bus system
Minimum order	1 Pcs
Document ID	EO-8CA3F2493B
Generated	2026-08-05

Product Overview

SmartTouch 10 NG/acero
SmartTouch 10 NG/steel
SmartTouch 10 B/stainless, Wi-Fi, glass black / stainless steel

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **NIESSEN > Home Automation**

Additional Product Information

Installation
Instructions and Manuals 2CKA001473B5343
Instructions and Manuals (Part 2) 2CKA001373B5343
Mounting Type Flush Mounted
Surface Mounted
Mounting Position horizontal
Mounting Height Optimum 1.5 m
Modular Components Included Complete Device
Environmental
Ambient Air Temperature Operation 0 ... +45 °C
Degree of Protection IP20
Technical
Data Sheet, Technical Information 2CKA001373B5351

Communication Interface Wi-Fi
Compatible Bus Systems free@home (TP)
KNX (TP)
Product Range free@home
KNX
Welcome
Transmission Standard 2-Wire
Twisted Pair Wiring
Wireless LAN
Display Type TFT Touch
Manual Operation Yes
Terminal Type Screw Terminals, Pluggable
Electrical
Rated Voltage (Ur) 20 ... 32 V
Auxiliary Voltage AC/DC 24 V DC
Rated Current (In) 0.5 A
Design
Housing Material Aluminium
Material Thermoplastic
Aluminium
Glass
Color glass black / stainless steel
Dimensions
Product Net Width 254.6 mm
Product Net Height 180.2 mm
Product Net Depth / Length 17.5 mm
Product Net Weight 793 g
Screen Size 10 in
Engineering
Building Information Modeling - BIM 9AKK108470A2880
Ordering
E-Number (Finland) 2818968
E-Number (Norway) 4544060
E-Number (Sweden) 1740186
E-Number (Switzerland) 305510185
ABB EcoSolutions
ABB EcoSolutions Yes
Circular Value
Recyclability Rate of the Product acc. to EN45555 Design for Closing Resource Loops - Standard EN45555 - 38.8 %
Sustainable Material Content in Packaging (wt. %) Recycled Cardboard - 93 %
Extended Product Lifetime Product Upgradability
Offered with Ta...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send NIESSEN / 2TMA310051B0001 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.