

INDUSTRIAL COMPONENT DATA

AZK 100 A2 6075304 OBO BETTERMANN CHANNEL FOR SMALL-TO-Z AZK 100 VA4301

Brand: OBO BETTERMANN | Manufacturer Part Number: AZK 100 A2



Manufacturer	OBO BETTERMANN
MPN / Reference	AZK 100 A2
Catalog number	6075304
Category	Cable tray/wide span cable tray
Minimum order	3 m.
Document ID	EO-92F0FE0942
Generated	2026-08-05

Product Overview

CHANNEL FOR SMALL-TO-Z AZK 100 VA4301

Small channel A-Z AZK 100 A2,perforated 50x100x3000 Stainless steel 1.4301, A2, 1.4301,Polished, with post-treatment
AZK 100 VA4301 6075304 AZ channel system 100 FS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN
--------------	---

Additional Product Information

AZ channel with a side height of 50 mm.

Type AZK 100 A2

Width mm 100

Plate thickness mm 1,5

Pack. m 6

Weight kg/100 m 176,934

Item No. 6075304

ETIM for 6075304 Cable tray, ladder and wire basket systems (EC000047)

Feature Name

Feature Value

Height (EF000040)

50 mm

Width (EF000008)

100 mm

Material thickness (EF000386)

1.5 mm

Length (EF001438)

3000 mm

Useful cross section (EF005140)

5000 mm²

Side perforation (EF001122)

Yes

Bottom perforation (EF004545)

Yes

NATO-mounting holes (EF006059)

No

Model (EF000010)

Coupler not included

Suitable for circuit integrity (EF007806)

No

Material (EF002169)

Stainless steel

Material quality (EF001257)

Stainless steel 304

Surface protection (EF000139)

Untreated

Weight (EF000167)

1.77 kg/m

Possible support spacing (EF017261)

1 m

Safe working load according to IEC 61537 with support spacing 1.0 m (EF017263)

1700

Safe working load according to IEC 61537 with support spacing 1.5 m (EF017264)

1500

Safe working load according to IEC 61537 with support spacing 2.0 m (EF017265)

1000

Safe working load according to IEC 61537 with support spacing 2.5 m (EF017266)

800

Safe working load according to IEC 61537 with support spacing 3.0 m (EF017267)

250

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / AZK 100 A2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.