

INDUSTRIAL COMPONENT DATA

DTS-2RM AL1 6119302 OBO BETTERMANN Data technology support f.2 connection modules type RM, 45x45mm, Aluminium..

Brand: OBO BETTERMANN | Manufacturer Part Number: DTS-2RM AL1



Manufacturer	OBO BETTERMANN
MPN / Reference	DTS-2RM AL1
Catalog number	6119302
Category	Insert/cover for communication technology
Minimum order	1 Pcs
Document ID	EO-7801D054EA
Generated	2026-08-02

Product Overview

Data technology support f.2 connection modules type RM, 45x45mm, Aluminium painted, Polycarbonate, PC Frame for DTS-2RM AL1 data module, p/2 connected modules. RM Type 45x45mm Polycarbonate, PC, Data carrier, module 1, oblique output, RM type. Data carrier with oblique discharge and dust shutters to accommodate two data connection modules with RJ45 socket. It can be installed both vertically and horizontally. The RM type has a special receiver module and is designed for indirect attachment of the data connection modules to the mounting opening. The RM type data carrier is suitable for accommodating the following data connection modules: ASM-C5, ASM-C5 G, ASM-C6 and ASM-C6 G; R&M: cat. 5 and cat. 6 without support plate. For installation in Rapid 45 and Rapid 80 conveyor channels, ISS distribution columns and underfloor systems.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > EGS device systems - OBO BETTERMANN > Systems mechanisms
--------------	---

Additional Product Information

Data carrier with oblique discharge and dust shutters to accommodate two data connection modules with RJ45 socket. It can be installed both vertically and horizontally. The RM type has a special receiver module and is designed for indirect attachment of the data connection modules to the mounting opening.

The RM type data carrier is suitable for accommodating the following data connection modules: ASM-C5, ASM-C5 G, ASM-C6 and ASM-C6 G; R&M: cat. 5 and cat. 6 without support plate.

For installation in Rapid 45 and Rapid 80 channel carriers, ISS distribution columns and underfloor systems.

ETIM for 6119302 Domestic wiring accessories and controls (EC000018)

Feature Name

Feature Value

Assembly arrangement (EF000005)

Basic unit with central cover plate

Utilization (EF000133)

Mounting cover data connector

Support ring (EF005709)

No

With dust cover (EF003893)

Yes

With hinged lid (EF000117)

No

Imprintable label (EF001519)

With indication plate

With imprint (EF004048)

No

Material (EF002169)

Plastic

Material quality (EF001257)

Other

Halogen free (EF000025)

Yes

Surface finishing (EF006569)

Matt

Colour (EF000007)

Aluminium

Transparent (EF006243)

No

Type of fastening (EF002442)

Engage (snap)

Number of modules (module system) (EF009573)

1

With strain relief (EF000878)

No

Luster terminal (EF003868)

No

Suitable for degree of protection (IP) (EF006755)

IP20

Device width (EF008808)

45 mm

Device height (EF008809)

45 mm

Device depth (EF008810)

26 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / DTS-2RM AL1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.