

INDUSTRIAL COMPONENT DATA

MTG-DB O AL1 6104712 OBO BETTERMANN Multimedia support, VGA/D-Sub9 without connection socket, 45x45mm, Alumi..

Brand: OBO BETTERMANN | Manufacturer Part Number: MTG-DB O AL1



Manufacturer	OBO BETTERMANN
MPN / Reference	MTG-DB O AL1
Catalog number	6104712
Category	Insert/cover for communication technology
Minimum order	1 Pcs
Document ID	EO-0BEBB8B175
Generated	2026-08-02

Product Overview

Multimedia support, VGA/D-Sub9 without connection socket, 45x45mm, Aluminium painted, Polycarbonate, PC
Multimedia socket, VGA/D-Sub9 MTG-DB OR AL1, without connection socket 45x45mm Polycarbonate, PC,
Multimedia support for VGA/D-Sub9 connector, 1 module, straight output

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > EGS device systems - OBO BETTERMANN > Systems mechanisms
--------------	---

Additional Product Information

Media support for a VGA/D-Sub9 connector, straight cable outlet, with ID tag, no connector. Support plate with hook, suitable for vertical and horizontal mounting in the system environment.
For installation in Rapid 45 and Rapid 80 machine carrier channels, distribution columns and systems under the ground.
ETIM for 6104712 Domestic wiring accessories and controls (EC000018)

Feature Name

Feature Value

Assembly arrangement (EF000005)

Basic unit with central cover plate

Utilization (EF000133)

Other

Support ring (EF005709)

No

With dust cover (EF003893)

No

With hinged lid (EF000117)

No

Outlet direction (EF000323)

Straight

Imprintable label (EF001519)

With indication plate

With imprint (EF004048)

No

Material (EF002169)

Plastic

Material quality (EF001257)

Other

Halogen free (EF000025)

Yes

Anti-bacterial treatment (EF023790)

No

Surface finishing (EF006569)

Matt

Colour (EF000007)

Aluminium

Transparent (EF006243)

No

Type of fastening (EF002442)

Engage (snap)

Number of modules (module system) (EF009573)

1

With buses/couplings (EF005043)

No

Suitable for number of connectors (EF001579)

1

With strain relief (EF000878)

No

Luster terminal (EF003868)

No

With lighting (EF003829)

No

Suitable for degree of protection (IP) (EF006755)

IP20

Device width (EF008808)

45 mm

Device height (EF008809)

45 mm

Device depth (EF008810)

9 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / MTG-DB O AL1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.