

INDUSTRIAL COMPONENT DATA

MTG-U3A S RW1 6104874 OBO BETTERMANN Multimedia support, USB 3.0 A socket with screw connection, 45x45mm, Pu..

Brand: OBO BETTERMANN | Manufacturer Part Number: MTG-U3A S RW1



Manufacturer	OBO BETTERMANN
MPN / Reference	MTG-U3A S RW1
Catalog number	6104874
Category	Insert/cover for communication technology
Minimum order	1 Pcs
Document ID	EO-4BD2D3E2FB
Generated	2026-08-03

Product Overview

Multimedia support, USB 3.0 A socket with screw connection, 45x45mm, Pure white, 9010, Polycarbonate, PC
Multimedia socket, USB 3.0 A MTG-U3A S RW1, with connection screw 45x45mm Polycarbonate, PC,
USB 2.0/3.0 connection, 1 module, straight outlet, as screw connection. Multimedia support with one USB 3.0 connection
socket, straight cable outlet, with labelling panel, USB 3.0 type A socket with screw connection. Support plate with locking
fastening, suitable for horizontal and vertical installation in the system environment. For installation in Rapid 45 device
installation ducts, Rapid 80 device installation ducts, service poles and underfloor systems.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OBO BETTERMANN > EGS device systems - OBO BETTERMANN > Systems mechanisms

Additional Product Information

CO2 Footprint (GWP) Cradle-to-Gate 0,3421 kg CO2e / 1 Piece
Colour Pure white; RAL 9010
Combination Basic element with central cover plate
Depth 9 mm
Dimension 45x45mm
Fastening type Lock
Halogen-free yes
Height 45 mm

Hinged cover no
Labelling panel With labelling panel
Lamp-wire connector no
Material Polycarbonate
Number of units 1
Protection rating IP20
Strain relief option no
Support ring no
Surface version Matt
Transparent no
Use USB
Width 45 mm
With dust protection no
With printed label yes
ETIM for 6104874 Domestic wiring accessories and controls (EC000018)
Feature Name
Feature Value
Assembly arrangement (EF000005)
Basic unit with central cover plate
Utilization (EF000133)
USB
Support ring (EF005709)
No
With dust cover (EF003893)
No
With hinged lid (EF000117)
No
Imprintable label (EF001519)
With indication plate
With imprint (EF004048)
Yes
Material (EF002169)
Plastic
Material quality (EF001257)
Other
Halogen free (EF000025)
Yes
Surface finishing (EF006569)
Matt
Colour (EF000007)
White
RAL-number (similar) (EF003882)
9010
Transparent (EF006243)
No
Type of fastening (EF002442)
Engage (snap)

Number of modules (module system) (EF009573)

1

With strain relief (EF000878)

No

Luster terminal (EF003868)

No

Suitable for degree of protection (IP) (EF006755)

IP20

Device width (EF008808)

45 mm

Device height (EF008809)

45 mm

Device depth (EF008810)

9 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / MTG-U3A S RW1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.