


INDUSTRIAL COMPONENT DATA

WRWVK 110 A2 6091393 OBO BETTERMANN Angular connector for wide span system 110, 110x250, Stainless steel, gr..

Brand: OBO BETTERMANN | Manufacturer Part Number: WRWVK 110 A2



Manufacturer	OBO BETTERMANN
MPN / Reference	WRWVK 110 A2
Catalog number	6091393
Category	Connector for cable support system
Minimum order	2 Pcs
Document ID	EO-E97B05872E
Generated	2026-08-01

Product Overview

Angular connector for wide span system 110, 110x250, Stainless steel, grade 304, VA, 1.4301

WRWVK 110 A2 Angle Joint, for Wide Span System 110 110x250 Stainless Steel 1.4301, A2, 1.4301, Polished, Post-Treated

Straight and angle connector A2. Angle connector for wide span cable trays and ladders with a side height of 110 mm.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN > Tray wide span**

Additional Product Information

Adjustable connector, horizontal no

Articulated connector, vertical no

CO2 Footprint (GWP) Cradle-to-Gate 4,7619 kg CO2e / 1 Piece

Colour stainless steel

Connection type Screw connector

Dimension 110x250

Height 110 mm

Length 250 mm

Maintain electrical functions no

Material Stainless steel 1.4301

Plate thickness 2,5 mm
Rustproof steel, pickled no
Suitable for cable ladder yes
Suitable for cable tray yes
Suitable for cable tray system height 110 mm
Suitable for mesh cable tray no
Surface Bright, treated
Version for Angle connector
Width 20 mm
ETIM for 6091393 Cable tray, ladder and wire basket systems (EC002413)
Feature Name
Feature Value
Model (EF000010)
Corner joint
Hinged joint horizontal (EF006392)
No
Hinged joint vertical (EF006393)
No
Type of connection (EF000064)
Screw connector
Suitable for wire mesh tray (EF005163)
No
Suitable for cable ladder (EF005165)
Yes
Suitable for cable tray (EF005166)
Yes
Suitable for cable support system height (EF015698)
110 mm
Length (EF001438)
250 mm
Suitable for circuit integrity (EF007806)
No
Material (EF002169)
Stainless steel
Stainless steel, pickled (EF006388)
No
Material quality (EF001257)
Rustproof and acidproof steel
Surface protection (EF000139)
Other

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / WRWVK 110 A2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.