

INDUSTRIAL COMPONENT DATA

ISS140110RW 6288960 OBO BETTERMANN Service pole floor/ceiling, 140x110x3000, Pure white, 9010, Aluminium, Alu

Brand: OBO BETTERMANN | Manufacturer Part Number: ISS140110RW



Manufacturer	OBO BETTERMANN
MPN / Reference	ISS140110RW
Catalog number	6288960
Category	Installation column
Minimum order	1 Pcs
Document ID	EO-59A37793C9
Generated	2026-08-01

Product Overview

Service pole floor/ceiling, 140x110x3000, Pure white, 9010, Aluminium, Alu
Distribution column ISS140110RW, floor/ceiling 3000x110x140 Aluminum, Alu,
ISS distribution column, type ISS140110. ISS distribution column made of aluminum with 76.5 mm opening. Set consisting of: 1 double-sided column with fastening system total length: 3315 mm - 3480 mm1 ceiling fixing with fastening system2 aluminum covers length: 3000 mmThe distribution column is suitable for housing 71GD series front locking boxes... A partition wall, type GA-TW70 (6279711) and a top clamp, type KL80A (6288640) can be installed as an option. The following accessories can be used depending on the installation conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **OBO BETTERMANN > LFS cable routing systems - OBO BETTERMANN > Columns**

Additional Product Information

ISS aluminium service pole with a 76.5 mm system opening.

Set consists of:

1 two-compartment pole with clamping fastening

Total length 3,315-3,480 mm

1 ceiling attachment with clamp

2 aluminium covers

Length: 3000 mm

The service pole is suitable for accepting front-locking accessory mounting boxes

of the series 71GD... Optionally, a partition, type TW (6288256), and mounting of a cover clip, type KL80A (6288640), are

possible.

The service pole is pre-mounted and ready for use immediately. The following accessories can be used, depending on the mounting situation.

ETIM for 6288960 Powerpoles and powerposts (EC001941)

Feature Name

Feature Value

Pillar shape (EF006309)

Rectangular

Model (EF000010)

Double-sided

Prewired (EF008110)

No

Adjustable (EF000996)

Yes

Height levelling (EF007561)

480 mm

Column height (EF005222)

3315 mm

Column depth (EF012218)

140 mm

Column width (EF012461)

110 mm

Number of usable covers (EF002923)

2

Cover width (EF005146)

76.5 mm

Type of fastening (EF002442)

Stretch

Place variable (EF006286)

No

Suitable for ceiling mounting (EF021180)

Yes

Suitable for floor mounting (EF025108)

Yes

Cable entry (EF000537)

Above/under

Through-going profile (EF005690)

Yes

Material installation column (EF005413)

Aluminium

Material installation column halogen free (EF008131)

Yes

Colour column (EF007757)

White

RAL-number column (EF008025)

9010

Material cover (EF005420)

Aluminium

Material cover halogen free (EF008132)

Yes

Colour top cover (EF006405)

White

RAL-number cover (EF0080...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / ISS140110RW with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.