

INDUSTRIAL COMPONENT DATA

ISSDHSM45EL 6289982 OBO BETTERMANN Service pole floor, 130x80x676, Anodised, Aluminium, Alu

Brand: OBO BETTERMANN | Manufacturer Part Number: ISSDHSM45EL



Manufacturer	OBO BETTERMANN
MPN / Reference	ISSDHSM45EL
Catalog number	6289982
Category	Installation column
Minimum order	1 Pcs
Document ID	EO-BAF0EE3C6D
Generated	2026-08-01

Product Overview

Service pole floor, 130x80x676, Anodised, Aluminium, Alu

Distribution column ISSDHSM45EL, floor 675x80x130 Aluminum, Alu, anodized

Service pole, type ISSDHSM45. ISS service pole made from aluminium with 45 mm system opening for the direct installation of Modul 45 switching and connection devices. Pole consisting of: 1 two-compartment pole with stand Total length 675 mm 2 aluminium covers Length 675 mm The design of this service pole is based on an extremely slender, oval aluminium profile, which shows a cover of the Rapid 45 device installation trunking series at both narrow ends of the oval. The 45 mm system opening is suitable for direct acceptance of Modul 45® switching and connection devices. The installation area is theoretically sufficient for 2x 14 Modul 45® devices. If Modul 45connect® is used or in the case of cabling requiring a lot of space, the number of the max. installable devices is reduced. There is the

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > LFS cable routing systems - OBO BETTERMANN > Columns
--------------	---

Additional Product Information

Adjustable no

Cable entry Bottom

Ceiling mounting no

Changes according to location no

CO2 Footprint (GWP) Cradle-to-Gate 38,0159 kg CO2e / 1 Piece

Colour aluminium

Continuous profile yes

Cover width 45 mm
Dimension 675x80x130
Fastening type Stand
Floor mounting yes
Halogen-free yes
Height 130 mm
Length 675 mm
Material Aluminium
Number of compartments 2 St.
Number of usable covers 2
Pole height, min. 675 mm
Pole shape Oval
Pre-wired no
Surface Anodised
Version for Double-sided
Width 80 mm
ETIM for 6289982 Powerpoles and powerposts (EC001941)
Feature Name
Feature Value
Pillar shape (EF006309)
Oval
Model (EF000010)
Double-sided
Prewired (EF008110)
No
Adjustable (EF000996)
No
Column depth (EF012218)
130 mm
Column width (EF012461)
80 mm
Number of usable covers (EF002923)
2
Cover width (EF005146)
45 mm
Type of fastening (EF002442)
Stand (base)
Place variable (EF006286)
No
Suitable for ceiling mounting (EF021180)
No
Suitable for floor mounting (EF025108)
Yes
Cable entry (EF000537)
Below
Through-going profile (EF005690)
Yes

Material installation column (EF005413)

Aluminium

Material installation column halogen free (EF008131)

Yes

Surface protection column (EF006400)

Anodised

Material cover (EF005420)

Aluminium

Material cover halogen free (EF008132)

Yes

Cover surface (EF008007)

Anodised

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / ISSDHSM45EL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.