


INDUSTRIAL COMPONENT DATA

ISSHS140500RW 6290030 OBO BETTERMANN Service pole floor, 140x133x500, Pure white, 9010, Aluminium, Alu

Brand: OBO BETTERMANN | Manufacturer Part Number: ISSHS140500RW



Manufacturer	OBO BETTERMANN
MPN / Reference	ISSHS140500RW
Catalog number	6290030
Category	Installation column
Minimum order	1 Pcs
Document ID	EO-D8883BCB45
Generated	2026-08-02

Product Overview

Service pole floor, 140x133x500, Pure white, 9010, Aluminium, Alu
Distribution column ISSHS140500RW, floor 500x130x140 Aluminum, Alu,
Electrical installation column, type ISSHS140500. 2-sided ISS distribution column, made of aluminium with 76.5 mm system opening. Empty, equippable with max. 8 common mechanisms (electrical outlets, telephone, etc.)It can be fixed directly to the ground. Mechanism boxes must be ordered separately. The distribution column can be equipped with the 71GD series mechanism trays... A type GA-TW (6279711) partition wall and a type KL80A clamp can be installed as an option.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **OBO BETTERMANN > LFS cable routing systems - OBO BETTERMANN > Columns**

Additional Product Information

ISS aluminium service pole, 2-compartment, with a 76.5 mm system opening.
Empty, equippable with standard devices (socket, telephone, etc), max. 8 devices.
Direct fastening on floor possible. Accessory mounting boxes to be ordered separately.
The service pole is suitable for accepting front-locking accessory mounting boxes of the series 71GD.... The installation of a partition of type GA-TW (6279711) and the installation of the cover clip, type KL80A, are possible as an option.

ETIM for 6290030 Powerpoles and powerposts (EC001941)

Feature Name

Feature Value

Pillar shape (EF006309)

Rectangular
Model (EF000010)
Double-sided
Prewired (EF008110)
No
Adjustable (EF000996)
No
Column depth (EF012218)
140 mm
Column width (EF012461)
130 mm
Number of usable covers (EF002923)
2
Cover width (EF005146)
76.5 mm
Type of fastening (EF002442)
Screwing
Place variable (EF006286)
No
Suitable for ceiling mounting (EF021180)
No
Suitable for floor mounting (EF025108)
Yes
Cable entry (EF000537)
Below
Through-going profile (EF005690)
Yes
Material installation column (EF005413)
Aluminium
Material installation column halogen free (EF008131)
Yes
Colour column (EF007757)
White
RAL-number column (EF008025)
9010
Material cover (EF005420)
Aluminium
Material cover halogen free (EF008132)
Yes
Colour top cover (EF006405)
White
RAL-number cover (EF008026)
9010

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / ISSHS140500RW with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.