

INDUSTRIAL COMPONENT DATA

ISSHS6EL 6290073 OBO BETTERMANN Service post centre , 220x250x564, Anodised, Aluminium, Alu

Brand: OBO BETTERMANN | Manufacturer Part Number: ISSHS6EL



Manufacturer	OBO BETTERMANN
MPN / Reference	ISSHS6EL
Catalog number	6290073
Category	Installation column
Minimum order	1 Pcs
Document ID	EO-43EFF8B4B6
Generated	2026-08-01

Product Overview

Service post centre , 220x250x564, Anodised, Aluminium, Alu

ISSHS6EL distribution column, 564x290x260 Aluminum, Alu, anodized

Electrical installation column, type ISSHS6. ISS Distribution column centre Empty, they can be equipped on all 4 sides with common mechanisms (power sockets, telephone, etc.). 2 sides of the center of the installation can be equipped on two sides, the other two - on one side. Up to 5 mechanisms can be installed on each lid, up to a total of 30. Direct fixing to the ground. Mechanism boxes must be ordered separately. The distribution column can be equipped with the 71GD series gearboxes... A type GA-TW (6279711) partition wall and a type KL80A clamp can be installed as an option.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OBO BETTERMANN > LFS cable routing systems - OBO BETTERMANN > Columns

Additional Product Information

ISS service pole centre

Empty, can be equipped from all four sides with standard devices (socket, telephone, etc). Two sides of the installation centre can be equipped in two compartments, the other two sides in one. Each installation compartment can accept 5 devices, the entire installation centre accepts max. 30 devices. Direct fastening on floor possible. Accessory mounting boxes to be ordered separately.

The service pole is suitable for accepting front-locking accessory mounting boxes of the series 71GD.... The installation of a partition of type GA-TW (6279711) and the installation of the cover clip, type KL80A, are possible as an option.

ETIM for 6290073 Powerpoles and powerposts (EC001941)

Feature Name

Feature Value

Pillar shape (EF006309)

Rectangular

Model (EF000010)

Other

Prewired (EF008110)

No

Adjustable (EF000996)

No

Column depth (EF012218)

260 mm

Column width (EF012461)

290 mm

Number of usable covers (EF002923)

6

Cover width (EF005146)

76.5 mm

Type of fastening (EF002442)

Screwing

Place variable (EF006286)

No

Suitable for ceiling mounting (EF021180)

No

Suitable for floor mounting (EF025108)

Yes

Cable entry (EF000537)

Below

Through-going profile (EF005690)

Yes

Material installation column (EF005413)

Aluminium

Material installation column halogen free (EF008131)

Yes

Surface protection column (EF006400)

Anodised

Material cover (EF005420)

Aluminium

Material cover halogen free (EF008132)

Yes

Cover surface (EF008007)

Anodised

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / ISSHS6EL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.