

INDUSTRIAL COMPONENT DATA

MKSU 620 FT 6064345 OBO BETTERMANN CABLE TRAY

MKSU MKSU 620 FT

Brand: OBO BETTERMANN | Manufacturer Part Number: MKSU 620 FT



Manufacturer	OBO BETTERMANN
MPN / Reference	MKSU 620 FT
Catalog number	6064345
Category	Cable tray/wide span cable tray
Minimum order	3 m.
Document ID	EO-8E321A2DFE
Generated	2026-08-03

Product Overview

CABLE TRAY MKSU MKSU 620 FT

MKSU MKSU 620 FT cable tray, blind 60x200x3000 Steel, St, Hot dip galvanized, DIN EN ISO 1461

MKSU 620 FT 6064345 Cable tray MKSU 60 FS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN

Additional Product Information

MKSU 60 = medium-duty cable tray system, unperforated, with a side height of 60 mm. Straight connectors should be ordered in the appropriate quantity.

Type MKSU 620 FT

Width mm 200

Plate thickness mm 1

Pack. m 3

Weight kg/100 m 290,000

Item No. 6064345

ETIM for 6064345 Cable tray, ladder and wire basket systems (EC000047)

Feature Name

Feature Value

Height (EF000040)

60 mm

Width (EF000008)
200 mm

Material thickness (EF000386)
1 mm

Length (EF001438)
3000 mm

Useful cross section (EF005140)
11800 mm²

With cover (EF007965)
No

Side perforation (EF001122)
No

Bottom perforation (EF004545)
No

NATO-mounting holes (EF006059)
No

Model (EF000010)
Coupler not included

Type of connector (EF000141)
Screwed

Suitable for circuit integrity (EF007806)
No

Material (EF002169)
Steel

Surface protection (EF000139)
Hot dip galvanized

Weight (EF000167)
2.9 kg/m

Load test type according to IEC 61537 (EF015362)
Type II

Possible support spacing (EF017261)
1.5 m

Safe working load according to IEC 61537 with support spacing 1.5 m (EF017264)
1500

Safe working load according to IEC 61537 with support spacing 2.0 m (EF017265)
1000

Safe working load according to IEC 61537 with support spacing 2.5 m (EF017266)
500

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / MKSU 620 FT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.