

INDUSTRIAL COMPONENT DATA

MKSU 650 A2 6063861 OBO BETTERMANN CABLE TRAY

MKSU MKSU 650 VA4301

Brand: OBO BETTERMANN | Manufacturer Part Number: MKSU 650 A2



Manufacturer	OBO BETTERMANN
MPN / Reference	MKSU 650 A2
Catalog number	6063861
Category	Cable tray/wide span cable tray
Minimum order	3 m.
Document ID	EO-8D9AC2C110
Generated	2026-08-02

Product Overview

CABLE TRAY MKSU MKSU 650 VA4301

MKSU MKSU 650 A2 cable tray, without perforation, with needle. 60x500x3000 Stainless steel 1.4301, A2, 1.4301, Polished, with post-treatment

MKSU 650 VA4301 6063861 Cable tray MKSU 60 A2

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN

Additional Product Information

The cable tray has connector perforations on both sides.

Type MKSU 650 A2

Width mm 500

Plate thickness mm 1

Pack. m 3

Weight kg/100 m 506,000

Item No. 6063861

ETIM for 6063861 Cable tray, ladder and wire basket systems (EC000047)

Feature Name

Feature Value

Height (EF000040)

60 mm

Width (EF000008)
500 mm

Material thickness (EF000386)
1 mm

Length (EF001438)
3000 mm

Useful cross section (EF005140)
29800 mm²

With cover (EF007965)
No

Side perforation (EF001122)
No

Bottom perforation (EF004545)
No

NATO-mounting holes (EF006059)
No

Model (EF000010)
Coupler not included

Type of connector (EF000141)
Screwed

Suitable for circuit integrity (EF007806)
No

Material (EF002169)
Stainless steel

Material quality (EF001257)
Stainless steel 304

Surface protection (EF000139)
Untreated

Weight (EF000167)
5.06 kg/m

Load test type according to IEC 61537 (EF015362)
Type II

Possible support spacing (EF017261)
1.5 m

Safe working load according to IEC 61537 with support spacing 1.5 m (EF017264)
1500

Safe working load according to IEC 61537 with support spacing 2.0 m (EF017265)
1000

Safe working load according to IEC 61537 with support spacing 2.5 m (EF017266)
500

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / MKSU 650 A2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.