

INDUSTRIAL COMPONENT DATA

RBV 120 S FT 7007400 OBO BETTERMANN 90° vertical bend rising, 110x200, Hot-dip galvanised, DIN EN ISO 1461, ..

Brand: OBO BETTERMANN | Manufacturer Part Number: RBV 120 S FT



Manufacturer	OBO BETTERMANN
MPN / Reference	RBV 120 S FT
Catalog number	7007400
Category	Bend for cable tray
Minimum order	1 Pcs
Document ID	EO-6C801971D5
Generated	2026-07-27

Product Overview

90° vertical bend rising, 110x200, Hot-dip galvanised, DIN EN ISO 1461, Steel, St
Vertical curve 90° RBV 120 S FT, ascending 110x200 Steel, St, Hot-dip galvanized, DIN EN ISO 1461
90° vertical bend, rising FT. 90° rising vertical bend, for all cable tray types of 110 mm side height.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN > Rest sheet tray
--------------	---

Additional Product Information

Bend (angle) 90°
Change of direction Vertical rising
CO2 Footprint (GWP) Cradle-to-Gate 5,0724 kg CO2e / 1 Piece
Colour zinc
Connector version Without connectors
Dimension 110x200
Dimension B 200 mm
Height 4 in
Height 110 mm
Maintain electrical functions no
Material Steel
Mounting perforation in base no
NATO hole pattern no

Plate thickness 1 mm
Rustproof steel, pickled no
Side perforation no
Surface Hot-dip galvanised
Type of connector, cable support system Screwed
Wide-span version no
Width 200 mm
Width 8 in
ETIM for 7007400 Cable tray, ladder and wire basket systems (EC002400)
Feature Name
Feature Value
Change of direction (EF005210)
Rising vertically
Angle (EF001218)
90°
Suitable for cable tray height (EF004822)
110 mm
Suitable for cable tray width (EF004820)
200 mm
Material thickness (EF000386)
1 mm
Side perforation (EF001122)
No
Bottom perforation (EF004545)
No
NATO-mounting holes (EF006059)
No
Model (EF000010)
Coupler not included
Suitable for circuit integrity (EF007806)
No
Material (EF002169)
Steel
Stainless steel, pickled (EF006388)
No
Surface protection (EF000139)
Hot dip galvanized

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / RBV 120 S FT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.