


INDUSTRIAL COMPONENT DATA

RBV 630 F FS 7007067 OBO BETTERMANN 90° vertical bend falling, 60x300, Strip-galvanised, DIN EN 10147, Steel..

Brand: OBO BETTERMANN | Manufacturer Part Number: RBV 630 F FS



Manufacturer	OBO BETTERMANN
MPN / Reference	RBV 630 F FS
Catalog number	7007067
Category	Bend for cable tray
Minimum order	1 Pcs
Document ID	EO-E31C978AA6
Generated	2026-08-03

Product Overview

90° vertical bend falling, 60x300, Strip-galvanised, DIN EN 10147, Steel, St

Vertical curve 90° RBV 630 F FS, downward 60x300 Steel, St, strip galvanized, DIN EN 10346

90° vertical bend, falling 60 FS. 90° vertical bend, falling, for all cable tray types of 60 mm side height.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN > Rest sheet tray
--------------	---

Additional Product Information

Bend (angle) 90°

Change of direction Vertical, falling

CO2 Footprint (GWP) Cradle-to-Gate 3,3459 kg CO2e / 1 Piece

Colour zinc

Connector version Without connectors

Dimension 60x300

Dimension B 300 mm

Dimension W 300 mm

Height 2 in

Height 60 mm

Maintain electrical functions yes

Material Steel

Mounting perforation in base no

NATO hole pattern no
Plate thickness 1 mm
Rustproof steel, pickled no
Side perforation no
Surface Strip galvanized
Type Bend, rigid
Type of connector, cable support system Screwed
Wide-span version no
Width 300 mm
Width 12 in
ETIM for 7007067 Cable tray, ladder and wire basket systems (EC002400)
Feature Name
Feature Value
Change of direction (EF005210)
Descending vertically
Angle (EF001218)
90°
Suitable for cable tray height (EF004822)
60 mm
Suitable for cable tray width (EF004820)
300 mm
Material thickness (EF000386)
1 mm
Side perforation (EF001122)
No
Bottom perforation (EF004545)
No
NATO-mounting holes (EF006059)
No
Model (EF000010)
Coupler not included
Suitable for circuit integrity (EF007806)
Yes
Material (EF002169)
Steel
Stainless steel, pickled (EF006388)
No
Surface protection (EF000139)
Pre-galvanised

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / RBV 630 F FS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.