


INDUSTRIAL COMPONENT DATA

RBV 630 F FT 7007068 OBO BETTERMANN 90° vertical bend falling, 60x300, Hot-dip galvanised, DIN EN ISO 1461, ..

Brand: OBO BETTERMANN | Manufacturer Part Number: RBV 630 F FT



Manufacturer	OBO BETTERMANN
MPN / Reference	RBV 630 F FT
Catalog number	7007068
Category	Bend for cable tray
Minimum order	1 Pcs
Document ID	EO-00BC22CE6C
Generated	2026-08-03

Product Overview

90° vertical bend falling, 60x300, Hot-dip galvanised, DIN EN ISO 1461, Steel, St
Vertical bend 90° RBV 630 F FT, downward 60x300 Steel, St, Hot-dip galvanized, DIN EN ISO 1461
90° vertical bend, falling 60 FT. 90° vertical bend, falling, for all cable tray types of 60 mm side height.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN > Rest sheet tray**

Additional Product Information

Bend (angle) 90°
Change of direction Vertical, falling
CO2 Footprint (GWP) Cradle-to-Gate 3,0642 kg CO2e / 1 Piece
Colour zinc
Connector version Without connectors
Dimension 60x300
Dimension B 300 mm
Height 2 in
Height 60 mm
Maintain electrical functions yes
Material Steel
Mounting perforation in base no
NATO hole pattern no

Plate thickness 1 mm
Rustproof steel, pickled no
Side perforation no
Surface Hot-dip galvanised
Type of connector, cable support system Screwed
Wide-span version no
Width 12 in
Width 300 mm
ETIM for 7007068 Cable tray, ladder and wire basket systems (EC002400)
Feature Name
Feature Value
Change of direction (EF005210)
Descending vertically
Angle (EF001218)
90°
Suitable for cable tray height (EF004822)
60 mm
Suitable for cable tray width (EF004820)
300 mm
Material thickness (EF000386)
1 mm
Side perforation (EF001122)
No
Bottom perforation (EF004545)
No
NATO-mounting holes (EF006059)
No
Model (EF000010)
Coupler not included
Suitable for circuit integrity (EF007806)
Yes
Material (EF002169)
Steel
Stainless steel, pickled (EF006388)
No
Surface protection (EF000139)
Hot dip galvanized

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / RBV 630 F FT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.