

INDUSTRIAL COMPONENT DATA

RGBV 120 FS 7006640 OBO BETTERMANN Articulated bend vertical, 110x200, Strip-galvanised, DIN EN 10147, Steel..

Brand: OBO BETTERMANN | Manufacturer Part Number: RGBV 120 FS



Manufacturer	OBO BETTERMANN
MPN / Reference	RGBV 120 FS
Catalog number	7006640
Category	Bend for cable tray
Minimum order	1 Pcs
Document ID	EO-BCF4862E85
Generated	2026-08-03

Product Overview

Articulated bend vertical, 110x200, Strip-galvanised, DIN EN 10147, Steel, St
Articulated elbow RGBV 120 FS, vertical 110x200 Steel, St, galvanized in band, DIN EN 10346
90° adjustable bend, vertical 110 FS. 90° adjustable vertical bend, for all cable tray types with a side height of 110 mm.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN > Rest sheet tray
--------------	---

Additional Product Information

Bend (angle) 90°
Change of direction Vertical, rising/falling
CO2 Footprint (GWP) Cradle-to-Gate 14,0448 kg CO2e / 1 Piece
Colour zinc
Connector version Supplied connectors
Dimension 110x200
Dimension R 400 mm
Height 110 mm
Height 4 in
Maintain electrical functions no
Material Steel
Mounting perforation in base no
NATO hole pattern no

Plate thickness 1 mm
Rustproof steel, pickled no
Side perforation no
Surface Strip galvanized
Type Adjustable bend_complete
Type of connector, cable support system Screwed
Wide-span version no
Width 200 mm
Width 8 in
ETIM for 7006640 Cable tray, ladder and wire basket systems (EC002400)
Feature Name
Feature Value
Change of direction (EF005210)
Rising/descending
Angle (EF001218)
90°
Construction type (EF000767)
Adjustable bend
Suitable for cable tray height (EF004822)
110 mm
Suitable for cable tray width (EF004820)
200 mm
Material thickness (EF000386)
1 mm
Side perforation (EF001122)
No
Bottom perforation (EF004545)
No
NATO-mounting holes (EF006059)
No
Model (EF000010)
Coupler included
Suitable for circuit integrity (EF007806)
No
Material (EF002169)
Steel
Stainless steel, pickled (EF006388)
No
Surface protection (EF000139)
Pre-galvanised

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / RGBV 120 FS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.