


INDUSTRIAL COMPONENT DATA

RLVK 35 FT 6067301 OBO BETTERMANN UNION STRAIGHT

RLVK 35 FT

Brand: OBO BETTERMANN | Manufacturer Part Number: RLVK 35 FT



Manufacturer	OBO BETTERMANN
MPN / Reference	RLVK 35 FT
Catalog number	6067301
Category	Connector for cable support system
Minimum order	10 Pcs
Document ID	EO-F1BCFE6B97
Generated	2026-08-03

Product Overview

UNION STRAIGHT RLVK 35 FT

Straight union RLVK 35 FT, for cable tray 35x100 Steel, St, Hot dip galvanized, DIN EN ISO 1461

Straight connector FT. Straight connector for connections of cable trays and fittings with a side height of 35 mm.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN
--------------	---

Additional Product Information

Adjustable connector, horizontal no

Articulated connector, vertical no

CO2 Footprint (GWP) Cradle-to-Gate 0,1401 kg CO2e / 1 Piece

Colour zinc

Connection type Screw connector

Dimension 35x100

Dimension 100 x 31

Height 1 in

Height 31 mm

Length 100 mm

Maintain electrical functions no

Material Steel

Plate thickness 2 mm

Rustproof steel, pickled no
Suitable for cable ladder no
Suitable for cable tray yes
Suitable for cable tray system height 35 mm
Suitable for mesh cable tray no
Surface Hot-dip galvanised
Version for Straight connector
Width 3,5 mm
ETIM for 6067301 Cable tray, ladder and wire basket systems (EC002413)
Feature Name
Feature Value
Model (EF000010)
Straight joint
Hinged joint horizontal (EF006392)
No
Hinged joint vertical (EF006393)
No
Type of connection (EF000064)
Screw connector
Suitable for wire mesh tray (EF005163)
No
Suitable for cable ladder (EF005165)
No
Suitable for cable tray (EF005166)
Yes
Suitable for cable support system height (EF015698)
35 mm
Length (EF001438)
100 mm
Suitable for circuit integrity (EF007806)
No
Material (EF002169)
Steel
Stainless steel, pickled (EF006388)
No
Surface protection (EF000139)
Hot dip galvanized

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / RLVK 35 FT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.