

INDUSTRIAL COMPONENT DATA

SKS 610 FS 6056105 OBO BETTERMANN CABLE TRAY SKS 610 FS

Brand: OBO BETTERMANN | Manufacturer Part Number: SKS 610 FS



Manufacturer	OBO BETTERMANN
MPN / Reference	SKS 610 FS
Catalog number	6056105
Category	Cable tray/wide span cable tray
Minimum order	3 m.
Document ID	EO-EA02EB4EA0
Generated	2026-08-01

Product Overview

CABLE TRAY SKS SKS 610 FS

SKS SKS 610 FS cable tray, perforated 60x100x3000 Steel, St, strip galvanized, DIN EN 10346

SKS 610 FS 6056105 Cable tray SKS 60 FS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN
--------------	---

Additional Product Information

The cable tray, type SKS, should also be used for function maintenance. For additional data, please refer to BSS fire protection systems.

Type SKS 610 FS

Width mm 100

Plate thickness mm 1,5

Pack. m 3

Weight kg/100 m 239,400

Item No. 6056105

ETIM for 6056105 Cable tray, ladder and wire basket systems (EC000047)

Feature Name

Feature Value

Height (EF000040)

60 mm

Width (EF000008)
100 mm

Material thickness (EF000386)
1.5 mm

Length (EF001438)
3000 mm

Useful cross section (EF005140)
5800 mm²

With cover (EF007965)
No

Side perforation (EF001122)
Yes

Bottom perforation (EF004545)
Yes

NATO-mounting holes (EF006059)
No

Model (EF000010)
Coupler included

Type of connector (EF000141)
Screwed

Suitable for circuit integrity (EF007806)
Yes

Material (EF002169)
Steel

Surface protection (EF000139)
Pre-galvanised

Weight (EF000167)
2.39 kg/m

Load test type according to IEC 61537 (EF015362)
Type II

Possible support spacing (EF017261)
1.5 m

Safe working load according to IEC 61537 with support spacing 1.5 m (EF017264)
2650

Safe working load according to IEC 61537 with support spacing 2.0 m (EF017265)
1800

Safe working load according to IEC 61537 with support spacing 2.5 m (EF017266)
1150

Safe working load according to IEC 61537 with support spacing 3.0 m (EF017267)
500

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / SKS 610 FS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.