

INDUSTRIAL COMPONENT DATA

SKSU 660 FT 6064523 OBO BETTERMANN CABLE TRAY

SKSU SKSU 660 FT

Brand: OBO BETTERMANN | Manufacturer Part Number: SKSU 660 FT



Manufacturer	OBO BETTERMANN
MPN / Reference	SKSU 660 FT
Catalog number	6064523
Category	Cable tray/wide span cable tray
Minimum order	3 m.
Document ID	EO-84C6B0E73A
Generated	2026-08-01

Product Overview

CABLE TRAY SKSU SKSU 660 FT

SKSU tray, without drill.,with aguj. bonding, 60x600x3000, hot dip galvanized steel, DIN EN ISO 1461

SKSU 660 FT 6064523 Cable tray SKSU 60 FS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OBO BETTERMANN > KTS cable support systems - OBO BETTERMANN

Additional Product Information

SKS 60 = heavy-duty cable tray system, unperforated, with 60 mm side height.

Type SKSU 660 FT

Width mm 600

Plate thickness mm 1,5

Pack. m 3

Weight kg/100 m 929,670

Item No. 6064523

ETIM for 6064523 Cable tray, ladder and wire basket systems (EC000047)

Feature Name

Feature Value

Height (EF000040)

60 mm

Width (EF000008)

600 mm
Material thickness (EF000386)
1.5 mm
Length (EF001438)
3000 mm
Useful cross section (EF005140)
35800 mm²
With cover (EF007965)
No
Side perforation (EF001122)
No
Bottom perforation (EF004545)
No
NATO-mounting holes (EF006059)
No
Model (EF000010)
Coupler not included
Type of connector (EF000141)
Screwed
Suitable for circuit integrity (EF007806)
No
Material (EF002169)
Steel
Surface protection (EF000139)
Hot dip galvanized
Weight (EF000167)
9.3 kg/m
Load test type according to IEC 61537 (EF015362)
Type II
Possible support spacing (EF017261)
1.5 m
Safe working load according to IEC 61537 with support spacing 1.5 m (EF017264)
2600
Safe working load according to IEC 61537 with support spacing 2.0 m (EF017265)
1900
Safe working load according to IEC 61537 with support spacing 2.5 m (EF017266)
1100
Safe working load according to IEC 61537 with support spacing 3.0 m (EF017267)
550

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / SKSU 660 FT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.