

INDUSTRIAL COMPONENT DATA

STD-D0C SRO2 6120368 OBO BETTERMANN ELECTRICAL OUTLET 0°, DOUBLE

Brand: OBO BETTERMANN | Manufacturer Part Number: STD-D0C SRO2



Manufacturer	OBO BETTERMANN
MPN / Reference	STD-D0C SRO2
Catalog number	6120368
Category	Socket outlet
Minimum order	1 Pcs
Document ID	EO-B32C95B141
Generated	2026-07-29

Product Overview

ELECTRICAL OUTLET 0°, DOUBLE

Electrical outlet 0°, double grounding, Connect 45 250V, 10/16A red signal 3001 Polycarbonate, PC
 Socket 0°, Connect 45, protective contact, double. Protective contact socket with connection to side, Double 0°, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1, suitable for the installation in Rapid 45 device installation trunking systems. For installation in Rapid 45 trunking, device installation trunking, service poles, underfloor systems and desk boxes.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **OBO BETTERMANN > EGS device systems - OBO BETTERMANN**

Additional Product Information

Closable no
 CO2 Footprint (GWP) Cradle-to-Gate 0,5221 kg CO2e / 1 Piece
 Coding no
 Colour Signal red; RAL 3001
 Connection type Screwless terminal
 Cover Central plate
 Depth 42 mm
 Dimension 250V, 10/16A
 Ejection mechanism no
 Error current protection no

Fastening type Lock
For more difficult conditions (according to VDE) no
Halogen-free yes
Height 90 mm
Hinged cover no
increased touch protection yes
Insulated installation no
Labelling panel no
Material Polycarbonate
Mounting type Device installation duct
Nominal current 16 A
Nominal voltage 250 V
Number of poles 2
Number of units 2
Operating temperature, max. 40 °C
Operating temperature, min. -5 °C
Power reserve no
Printed label/coding Without printing
Protection rating Other
Rotated central insert no
Socket angle 0°
Socket version Protective contact
Special power supply Without special power supply
Surface version Matt
Surge protection no
Transparent no
Version for Double 0°
Warning light no
Width 131 mm
With fine-wire fuse no
With functional lighting no
With on/off switch no
With orientation lighting no
ETIM for 6120368 Domestic wiring accessories and controls (EC000125)
Feature Name
Feature Value
Model (EF000010)
Socket outlet CEE 7/3 (type F)
With signal lamp (EF000198)
No
Number of modules (module system) (EF009573)
0
Number of socket outlets switchable (EF008814)
0
Imprint/indication (EF003823)
None
Connection type (EF000124)

Screwless terminal

With hinged lid (EF000117)

No

With enhanced contact protection (EF000389)

Yes

L...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / STD-D0C SRO2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.