

INDUSTRIAL COMPONENT DATA

STD-F3C RW3 6120692 OBO BETTERMANN ELECTRICAL SOCKET 33°, TRIPLE STD-F3C RW3

Brand: OBO BETTERMANN | Manufacturer Part Number: STD-F3C RW3



Manufacturer	OBO BETTERMANN
MPN / Reference	STD-F3C RW3
Catalog number	6120692
Category	Socket outlet
Minimum order	1 Pcs
Document ID	EO-245323FCFA
Generated	2026-08-01

Product Overview

ELECTRICAL SOCKET 33°, TRIPLE STD-F3C RW3

Electrical outlet 33°, triple c. pin p.ground, Connect45 250V, 10/16A pure white 9010 Polycarbonate, PC 33° socket, Connect 45, with earthing pin, triple, pure white. Socket with earthing pin and side connection, Triple 33°, with increased touch protection, with screwless terminals, 2-pin, 16 A, 250 V~, with connection terminals to IEC 60884-1. For installation in Rapid 45 trunking, device installation trunking, service poles, underfloor systems and desk boxes.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **OBO BETTERMANN > EGS device systems - OBO BETTERMANN**

Additional Product Information

Approvals VDE
 Closable no
 CO2 Footprint (GWP) Cradle-to-Gate 0,2241 kg CO2e / 1 Piece
 Coding no
 Colour Pure white; RAL 9010
 Connection type Screwless terminal
 Cover Central plate
 Depth 37 mm
 Dimension 250V, 10/16A
 Ejection mechanism no
 Error current protection no

Fastening type Lock
For more difficult conditions (according to VDE) no
Halogen-free yes
Height 45 mm
Hinged cover no
increased touch protection yes
Insulated installation no
Labelling panel no
Material Polycarbonate
Mounting type Device installation duct
Nominal current 16 A
Nominal voltage 250 V
Number of modules (for modular construction) 3
Number of poles 2
Number of units 3
Operating temperature, max. 40 °C
Operating temperature, min. -5 °C
Printed label/coding Without printing
Protection rating Other
Rotated central insert yes
Socket angle 33°
Socket version NF
Special power supply Without special power supply
Surface version Matt
Surge protection no
Transparent no
Version for Triple 33°
Warning light no
Width 135 mm
With fine-wire fuse no
With functional lighting no
With on/off switch no
With orientation lighting no
ETIM for 6120692 Domestic wiring accessories and controls (EC000125)
Feature Name
Feature Value
Model (EF000010)
Earthing pin
With signal lamp (EF000198)
No
Number of modules (module system) (EF009573)
3
Number of socket outlets switchable (EF008814)
0
Imprint/indication (EF003823)
None
Connection type (EF000124)

Screwless terminal

With hinged lid (EF000117)

No

With enhanced contact protection (EF...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / STD-F3C RW3 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.