

INDUSTRIAL COMPONENT DATA

106 FL M25 10 31 2013011 OBO BETTERMANN Flat cable threaded connection , M25, Stone grey, 7030, Polyethylene..

Brand: OBO BETTERMANN | Manufacturer Part Number: 106 FL M25 10 31



Manufacturer	OBO BETTERMANN
MPN / Reference	106 FL M25 10 31
Catalog number	2013011
Category	Cable gland
Minimum order	25 Pcs
Document ID	EO-96AB1CC399
Generated	2026-07-29

Product Overview

Flat cable threaded connection , M25, Stone grey, 7030, Polyethylene, PE

Cable gland for flat cable 106 FL M25 10 31, M25 Polyethylene, PE,

Flat cable threaded connection, metric thread M25, stone grey. Flat-cable entry, choke-nipple design with metric connecting thread to IEC 432, protection rating IP31, with pre-mounted support sealing ring 107/F.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > VBS Connection and fastening systems - OBO BETTERMANN > GIs Plastic
--------------	--

Additional Product Information

Bend protection yes

CO2 Footprint (GWP) Cradle-to-Gate 0,0797 kg CO2e / 1 Piece

Colour Stone grey; RAL 7030

Dimension M25

Dimension A 30 mm

Dimension B 56 mm

Dimension D 35 mm

Dimension G M25 mm

Dimension L 52 mm

Dimension L1 12 mm

Dimension L2 40 mm

explosion-proof no

Fibre-glass reinforced no
Flat cable gland yes
Flat cable/width, max. 31,5 mm
Flat cable/width, min. 28,5 mm
Flat cables/thickness, max. 10,5 mm
Flat cables/thickness, min. 8,5 mm
For Ex zone Without
Impact-resistant no
Material Polyethylene
Protection rating IP31
Sealing insert, multiple no
Strain relief option no
Thread M25
Thread type Metric
Type of seal Sealing ring
Version for Straight
With locknut no
ETIM for 2013011 Cable glands and cable entry products (EC000441)
Feature Name
Feature Value
Thread type (EF001758)
Metric
Material (EF002169)
Plastic
Material quality (EF001257)
Polyethylene (PE)
Degree of protection (IP) (EF005474)
IP31
Shock resistant (EF000084)
No
Colour (EF000007)
Grey
RAL-number (EF000116)
7030
Bend radius protection/trumpet flare (EF000734)
Yes
With locknut (EF005049)
No
Model (EF000010)
Straight
Multi seal area (EF005004)
No
Flat cable coupling (EF004685)
Yes
With strain relief (EF000878)
No
Type of sealing (EF001217)

EV009696

Explosion-tested version (EF004191)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / 106 FL M25 10 31 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.