

INDUSTRIAL COMPONENT DATA

106 FL M32 10 31 2013020 OBO BETTERMANN Flat cable threaded connection , M32, Stone grey, 7030, Polyethylene..

Brand: OBO BETTERMANN | Manufacturer Part Number: 106 FL M32 10 31



Manufacturer	OBO BETTERMANN
MPN / Reference	106 FL M32 10 31
Catalog number	2013020
Category	Cable gland
Minimum order	15 Pcs
Document ID	EO-2C347DCED2
Generated	2026-07-29

Product Overview

Flat cable threaded connection , M32, Stone grey, 7030, Polyethylene, PE
Cable gland for flat cable 106 FL M32 10 31, M32 Polyethylene, PE,
Flat cable threaded connection, metric thread M32, stone grey. Flat-cable entry, choke-nipple design with metric connecting thread to IEC 432, protection rating IP31, with pre-mounted support sealing ring 107/F.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > VBS Connection and fastening systems - OBO BETTERMANN > GIs Plastic
--------------	--

Additional Product Information

Bend protection yes
CO2 Footprint (GWP) Cradle-to-Gate 0,1081 kg CO2e / 1 Piece
Colour Stone grey; RAL 7030
Dimension M32
Dimension A 30 mm
Dimension B 56 mm
Dimension D 46 mm
Dimension G M32 mm
Dimension L 59 mm
Dimension L1 13 mm
Dimension L2 46 mm
explosion-proof no

Fibre-glass reinforced no
Flat cable gland yes
Flat cable/width, max. 31,5 mm
Flat cable/width, min. 28,5 mm
Flat cables/thickness, max. 10,5 mm
Flat cables/thickness, min. 8,5 mm
For Ex zone Without
Impact-resistant no
Material Polyethylene
Protection rating IP31
Sealing insert, multiple no
Strain relief option no
Thread M32
Thread type Metric
Type of seal Sealing ring
Version for Straight
With locknut no
ETIM for 2013020 Cable glands and cable entry products (EC000441)
Feature Name
Feature Value
Thread type (EF001758)
Metric
Material (EF002169)
Plastic
Material quality (EF001257)
Polyethylene (PE)
Degree of protection (IP) (EF005474)
IP31
Shock resistant (EF000084)
No
Colour (EF000007)
Grey
RAL-number (EF000116)
7030
Bend radius protection/trumpet flare (EF000734)
Yes
With locknut (EF005049)
No
Model (EF000010)
Straight
Multi seal area (EF005004)
No
Flat cable coupling (EF004685)
Yes
With strain relief (EF000878)
No
Type of sealing (EF001217)

EV009696

Explosion-tested version (EF004191)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / 106 FL M32 10 31 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.