


**INDUSTRIAL COMPONENT DATA**

# 604 21 G 1003216 OBO BETTERMANN Attaching clip single lobe, 21mm, Electrogalvanised, DIN 50961, Steel, St

Brand: OBO BETTERMANN | Manufacturer Part Number: 604 21 G



|                 |                   |
|-----------------|-------------------|
| Manufacturer    | OBO BETTERMANN    |
| MPN / Reference | 604 21 G          |
| Catalog number  | 1003216           |
| Category        | Pipe saddle clamp |
| Minimum order   | 100 Pcs           |
| Document ID     | EO-4198C8D37F     |
| Generated       | 2026-08-03        |

## Product Overview

Attaching clip single lobe, 21mm, Electrogalvanised, DIN 50961, Steel, St

Fixing clip 604 21 G, 1 foot 21mm Steel, St, electrozinc-plated, EN ISO 19598 / EN ISO 4042

Fastening clip 604, light duty. Single-lobe fastening clip for cables and pipes.\* Sizes 3 and 4 are not suitable for nail device\*

Sizes 3 to 21 are not suitable for bolt-firing tool

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                                                               |
|--------------|-----------------------------------------------------------------------------------------------|
| Catalog path | OBO BETTERMANN > VBS Connection and fastening systems - OBO BETTERMANN > Pizza metal fixation |
|--------------|-----------------------------------------------------------------------------------------------|

## Additional Product Information

CO2 Footprint (GWP) Cradle-to-Gate 0,0125 kg CO2e / 1 Piece

Dimension 21mm

Dimension A 6,3 mm

Dimension b 10 mm

Dimension D 21 mm

Dimension d 4,5 mm

Dimension e 6 mm

Dimension H 19 mm

Dimension L 36 mm

Dimension t 1 mm

Distance to the wall no

Fastening type Screw hole

For diameter 21  
Halogen-free yes  
Height 19 mm  
Hole size 4,5 x 6 mm  
Length 36 mm  
Material Steel  
Material thickness 1 mm  
Nominal diameter 21 mm  
Number of cables/pipes 1  
Plastic-covered no  
Suitable in fire protection area no  
Surface Electrogalvanized  
UV-resistant yes  
Version for Single-lobe  
Width 10 mm  
ETIM for 1003216 Cable and tube fixings (EC000127)  
Feature Name  
Feature Value  
Nominal diameter (EF005114)  
21 mm  
Number of cables/conduits (EF004421)  
1  
With distance to the wall (EF007571)  
No  
Model (EF000010)  
Half clamp  
Type of fastening (EF002442)  
Screw hole  
Material (EF002169)  
Steel  
Surface protection (EF000139)  
Galvanic/electrolytic zinc plated  
Halogen free (EF000025)  
Yes  
Suitable in fire resistance areas (EF007821)  
No  
Plastic sheathed (EF006600)  
No

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / 604 21 G with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.