

INDUSTRIAL COMPONENT DATA

604 5 G 1003054 OBO BETTERMANN Attaching clip single lobe, 5mm, Electrogalvanised, DIN 50961, Steel, St

Brand: OBO BETTERMANN | Manufacturer Part Number: 604 5 G



Manufacturer	OBO BETTERMANN
MPN / Reference	604 5 G
Catalog number	1003054
Category	Pipe saddle clamp
Minimum order	100 Pcs
Document ID	EO-151C5DA429
Generated	2026-08-02

Product Overview

Attaching clip single lobe, 5mm, Electrogalvanised, DIN 50961, Steel, St

Fixing clip 604 5 G, 1 foot 5mm Steel, St, electrozinc-plated, EN ISO 19598 / EN ISO 4042

Fastening clip 604, light duty. Single-lobe fastening clip for cables and pipes.* Sizes 3 and 4 are not suitable for nail device*

Sizes 3 to 21 are not suitable for bolt-firing tool

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > VBS Connection and fastening systems - OBO BETTERMANN > Pizza metal fixation
--------------	---

Additional Product Information

CO2 Footprint (GWP) Cradle-to-Gate 0,0027 kg CO2e / 1 Piece

Dimension 5mm

Dimension A 5 mm

Dimension b 7 mm

Dimension d 4,5 mm

Dimension D 5 mm

Dimension e 6 mm

Dimension H 4,5 mm

Dimension L 16,5 mm

Dimension t 0,7 mm

Distance to the wall no

Fastening type Screw hole

For diameter 5
Halogen-free yes
Height 4,5 mm
Hole size 4,5 x 6 mm
Length 16,5 mm
Material Steel
Material thickness 0,7 mm
Nominal diameter 5 mm
Number of cables/pipes 1
Plastic-covered no
Suitable in fire protection area no
Surface Electrogalvanized
UV-resistant yes
Version for Single-lobe
Width 7 mm
ETIM for 1003054 Cable and tube fixings (EC000127)
Feature Name
Feature Value
Nominal diameter (EF005114)
5 mm
Number of cables/conduits (EF004421)
1
With distance to the wall (EF007571)
No
Model (EF000010)
Half clamp
Type of fastening (EF002442)
Screw hole
Material (EF002169)
Steel
Surface protection (EF000139)
Galvanic/electrolytic zinc plated
Halogen free (EF000025)
Yes
Suitable in fire resistance areas (EF007821)
No
Plastic sheathed (EF006600)
No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / 604 5 G with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.