

INDUSTRIAL COMPONENT DATA

WN 7855 B 4.5 1044079 OBO BETTERMANN STAPLE 1 FOOT EDGES ROUNDED. WN 7855 B 4.5

Brand: OBO BETTERMANN | Manufacturer Part Number: WN 7855 B 4.5



Manufacturer	OBO BETTERMANN
MPN / Reference	WN 7855 B 4.5
Catalog number	1044079
Category	Pipe saddle clamp
Minimum order	100 Pcs
Document ID	EO-11B760C609
Generated	2026-08-04

Product Overview

STAPLE 1 FOOT EDGES ROUNDED. WN 7855 B 4.5

WN 7855 B 4.5.2 ft 4.5mm Steel, St, Galvanized, Transparent Passivated Fixing Staple

Fastening clip, plant standard 7855, double-lobe. Dimensions to Siemens standard SN 78550, shape B, with strongly rounded edges, thus particularly suitable for sensitive cables.* Sizes 3 to 10 not suitable for nail device.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	OBO BETTERMANN > VBS Connection and fastening systems - OBO BETTERMANN
--------------	--

Additional Product Information

CO2 Footprint (GWP) Cradle-to-Gate 0,003 kg CO2e / 1 Piece

Dimension 4,5mm

Dimension A 24 mm

Dimension b 6 mm

Dimension B 16 mm

Dimension d 3,2 mm

Dimension D 4,5 mm

Dimension e 4 mm

Dimension H 4 mm

Dimension L 24 mm

Dimension t 1 mm

Distance to the wall no

Fastening type Screw hole
For diameter 4,5
Halogen-free yes
Height 4 mm
Hole size 3,2 x 4 mm
Length 24 mm
Material Steel
Material thickness 1 mm
Nominal diameter 4,5 mm
Number of cables/pipes 1
Plastic-covered no
Suitable in fire protection area no
Surface Electrogalvanized, transparently passivated
UV-resistant yes
Version for Two-lobe
Width 6 mm
ETIM for 1044079 Cable and tube fixings (EC000127)
Feature Name
Feature Value
Nominal diameter (EF005114)
4.5 mm
Number of cables/conduits (EF004421)
1
With distance to the wall (EF007571)
No
Model (EF000010)
Double clamp
Type of fastening (EF002442)
Screw hole
Material (EF002169)
Steel
Surface protection (EF000139)
Galvanic/electrolytic zinc plated
Halogen free (EF000025)
Yes
Suitable in fire resistance areas (EF007821)
No
Plastic sheathed (EF006600)
No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OBO BETTERMANN / WN 7855 B 4.5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.