

INDUSTRIAL COMPONENT DATA

A165L-JGM-24D-1 A16 7241F A165LJGM24D1 OMRON

Pushbutton complete, day. 16 mm, lighted LED 24 VDC, rectangular..

Brand: OMRON | Manufacturer Part Number: A165L-JGM-24D-1



Manufacturer	OMRON
MPN / Reference	A165L-JGM-24D-1
Catalog number	A165LJGM24D1
Category	Push button, complete
Minimum order	1 Pcs
Document ID	EO-92CE11E254
Generated	2026-08-02

Product Overview

Pushbutton complete, day. 16 mm, lighted LED 24 VDC, rectangular, green, momentary operation, IP65, SPDT contact block, solder terminal

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Limit switches / Pushbuttons > A16

Additional Product Information

Wide variety of control and signal devices: lighted, non-lighted and buzzer

Quick and easy assembly, snap-in switch

Wide range of switching capacity from standard load to micro load

High reliability, IP65

UL, cUL and CSA approved, conforms to EN60947-5-1 and IEC947-5-1

Specifications & ordering info

Ordering information

Type

Color

Order code

Degree of protection: Oil-resistant IP65

Rectangular

Square
Round
Non-lighted
LED
Incandescent lamp
Red
A165L-JR
A165L-AR
A165L-TR
Yellow
A165L-JY
A165L-AY
A165L-TY
Pure yellow
A165L-JPY
A165L-APY
A165L-TPY
White
A165L-JW
A165L-AW
A165L-TW
Blue
A165L-JA
A165L-AA
A165L-TA
Non-lighted
Black
A165L-JB
A165L-AB
A165L-TB
LED
Green
A165L-JGY
A165L-AGY
A165L-TGY
Non-lighted/incandescent lamp
Green
A165L-JG
A165L-AG
A165L-TG
Cases
Appearance
Classification
Order code
Oil-resistant IP65
Momentary operation
Rectangular (2-way guard)

A165-CJM
Square
A165-CAM
Round
A165-CTM
Alternate operation
Rectangular (2-way guard)
A165-CJA
Square
A165-CAA
Round
A165-CTA
Switches
Appearance
Classification
Order code
Lighted/
non-lighted (common use)
Standard load/
microload (common use)
SPDT
Solder
terminal
A16-1
DPDT
A16-2
SPDT
PCB
terminal
A16-1P
DPDT
A16-2P
DPDT
Screw-less clamp
A16-2S
Switches with reduced voltage lighting
Appearance
Classification
Order code
100 V
Standard load/
microload
(common use)
SPDT
Solder terminal
A16-T1-1
DPDT

A16-T1-2

100 V

DPDT

Screw-less clamp

A16-T1-2S

200 V

A16-T2-2S

Lamps

Type

Color

Order code

5 VDC

12 VDC

24 VDC

LED

Red

A16-5...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / A165L-JGM-24D-1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.