


## INDUSTRIAL COMPONENT DATA

**J73KN-B-01U J73K9024A J73KNB01U OMRON Aux. front (J7KN-10..74) 1NC delayed**

Brand: OMRON | Manufacturer Part Number: J73KN-B-01U



|                 |                                                           |
|-----------------|-----------------------------------------------------------|
| Manufacturer    | OMRON                                                     |
| MPN / Reference | J73KN-B-01U                                               |
| Catalog number  | J73KNB01U                                                 |
| Category        | Accessories/spare parts for low-voltage switch technology |
| Minimum order   | 10 Pcs                                                    |
| Document ID     | EO-0B1340902F                                             |
| Generated       | 2026-08-05                                                |

**Product Overview**

Aux. front (J7KN-10..74) 1NC delayed

Auxiliary contact, 1-pole, 1B, front mounting, 10 A for J7KN10-74 (EM &amp; LM version)

Auxiliary contact, 1-pole, 1B, front mounting, 10 A for J7KN10D up to 115 (EM &amp; LM version)

## STRUCTURED PRODUCT DATA

**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

**Classification & Catalog Path**

Catalog path OMRON &gt; Low Voltage Switchgear &gt; Other

**Additional Product Information**

4kW and 5.5kW versions are available

Different coil voltages (AC and DC)

Mini and normal-size versions are available

The contactors can be mounted with screw fixing and snap fitting on a DIN-rail

All components are finger proof

Specifications &amp; ordering info

Ordering information

Operation

Poles

Rating AC2, AC3

Rated current

Auxiliary contact

Overload relay

Size in mm

(H×W×D)

Order code

Coil voltage1,

replace \_\_\_\_ with:

380 V 400 V 415 V kW

500 V kW

660 V 690 V kW

AC3

AC1

400 V

A

690 V

A

NO

NC

VAC

VDC

AC/DC

solenoid

3

4

4

4

9

20

1

0

J7TKN-A

57.5×45×49

J7KNA-09-10\_\_\_\_

24

110

230

400

24D

0

1

J7TKN-A

J7KNA-09-01\_\_\_\_

24

110

230

400

24D

5.5

5.5

5.5  
12  
20  
1  
0  
J7TKN-A  
J7KNA-12-10\_\_\_\_  
24  
110  
230  
400  
24D  
0  
1  
J7TKN-A  
J7KNA-12-01\_\_\_\_  
24  
110  
230  
400  
24D  
4  
4  
4  
4  
9  
20  
0  
0  
J7TKN-A  
J7KNA-09-4\_\_\_\_  
24  
110  
230  
400  
24D  
DC solenoid with diode  
3  
4  
4  
4  
9  
20  
1  
0  
J7TKN-A  
J7KNA-09-10\_\_\_\_

-  
-  
-  
-  
24VS  
0  
1  
J7TKN-A  
J7KNA-09-01\_\_\_\_  
-  
-  
-  
-  
24VS  
5.5  
5.5  
5.5  
12  
20  
1  
0  
J7TKN-A  
J7KNA-12-10\_\_\_\_  
-  
-  
-  
-  
24VS  
0  
1  
J7TKN-A  
J7KNA-12-01\_\_\_\_  
-  
-  
-  
-  
24VS  
AC/DC  
solenoid  
3  
reversing contactors  
4  
4  
4  
9  
20  
0

1  
J7TKN-A  
57.5×94.5×50  
J7KNA-09-01 R\_\_\_\_  
24  
110  
230  
400  
24D  
5.5  
5.5  
5.5  
12  
20  
0  
1  
J7TKN-A  
J7KNA-12-01 R\_\_\_\_  
24  
110  
230  
400  
24D  
DC solenoid with diode  
4  
4  
4  
9  
20  
0  
1  
J7TKN-A  
J7KNA-09-01 R\_\_\_\_  
-  
-  
-  
-  
24VS  
5.5  
5.5  
5.5  
12  
20  
0  
1  
J7TKN-A  
J7KNA-12-01 R\_\_\_\_

-  
-  
-  
-  
24VS  
Accessories  
Auxiliary contacts  
Contacts  
Rated current  
Order code  
AC15  
230 V  
400 V  
NO  
NC  
1  
1  
3 A  
2 A  
J73KN-AM-11  
0  
2  
3 A  
2 A  
J73KN-AM-02  
2  
2  
3 A  
2 A  
J73KN-AM-22  
Auxiliary...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / J73KN-B-01U with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten PI #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.