

INDUSTRIAL COMPONENT DATA

CJ1W-OC201(SL) CJ1W9008F CJ1WOC201SL OMRON Module

8 relay Outputs Screwless

Brand: OMRON | Manufacturer Part Number: CJ1W-OC201(SL)



Manufacturer	OMRON
MPN / Reference	CJ1W-OC201(SL)
Catalog number	CJ1WOC201SL
Category	PLC digital I/O-module
Minimum order	1 Pcs
Document ID	EO-9790C8A087
Generated	2026-08-03

Product Overview

Module 8 relay Outputs Screwless

Digital output unit, 8 x relay outputs, 250 VAC/24 VDC, 2 A max, independent commons, screwless clamp terminal

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Control Systems > CJ1

Additional Product Information

ETIM for 171732 PLC's (EC001419)

Feature Name

Feature Value

Explosion safety category for dust (EF003998)

None

Type of voltage (input voltage) (EF003033)

DC

Type of output voltage (EF008222)

AC/DC

Performance level according to EN ISO 13849-1 (EF007399)

Level a

Type of digital output (EF003601)

Relay

Type of electric connection (EF003961)

Spring clamp connection
SIL according to IEC 61508 (EF009889)
None
Voltage type (supply voltage) (EF002991)
DC
Explosion safety category for gas (EF003997)
None
Digital inputs configurable (EF008516)
No
Digital outputs configurable (EF008520)
Yes
Appendant operation agent (Ex ib) (EF004142)
No
Appendant operation agent (Ex ia) (EF004141)
No
Redundancy (EF003156)
No
Suitable for safety functions (EF001597)
No
Short-circuit protection, outputs available (EF003203)
No
Number of digital outputs (EF001993)
8
Output current (EF003202)
2 A
Width (EF000008)
31 mm
Number of digital inputs (EF001992)
0
Height (EF000040)
90 mm
Depth (EF000049)
85 mm
Supply voltage AC 50 Hz (EF007532)
230 V
Permitted voltage at output (EF007553)
5 V
Supply voltage AC 60 Hz (EF007533)
230 V
Supply voltage DC (EF007534)
12 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / CJ1W-OC201(SL) with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.