

INDUSTRIAL COMPONENT DATA

E3ZM-R61 2M E3ZM0017G E3ZMR612M OMRON Metal cc 3h Mirror 4m NPN Cable 2M

Brand: OMRON | Manufacturer Part Number: E3ZM-R61 2M



Manufacturer	OMRON
MPN / Reference	E3ZM-R61 2M
Catalog number	E3ZMR612M
Category	Retroreflective photoelectric sensor
Minimum order	1 Pcs
Document ID	EO-E3B1340D9C
Generated	2026-07-29

Product Overview

Metal cc 3h Mirror 4m NPN Cable 2M

Photoelectric sensor, rectangular housing, stainless steel, red LED, retro-reflective, 4 m, NPN, Light-ON/Dark-ON, 2 m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Photoelectric sensors > E3Z

Additional Product Information

ShapeCuboidSensing methodRetro-reflectiveSensing distance4000 mmSensing distance (min.)100 mmSetting methodManual adjustmentConnection methodCableCable length2 mOutput typeNPNOperation modeDark-ON, Light-ONResponse time1 msMaterial housingStainless steelThread sizeOtherProduct Width (unpacked)10.8 mmProduct Height (unpacked)32.2 mmProduct Depth (unpacked)21 mmType of lightPolarized red lightPower supply voltage10-30 VFeaturesM.S.R.Degree of protection (IP)IP67/IP69K
ETIM for 223479 Sensors (EC002717)
Feature Name
Feature Value
Degree of protection (NEMA) (EF011959)
Other
Degree of protection (IP) (EF005474)
IP67
Material of optical surface (EF004134)

Plastic

Type of interface for safety communication (EF003956)

Other

Housing material (EF001596)

Metal

Operation agent-safety class (EF003982)

Safety class 3

Explosion safety category for gas (EF003997)

None

Explosion safety category for dust (EF003998)

None

Voltage type (EF000187)

DC

Construction type housing (EF004008)

Cuboid

Laser protection class (EF004027)

None

Setting procedure (EF003994)

Manual adjustment

Sensing mode (EF007503)

Light-/dark switching

Type of switch function (EF003963)

Programmable/configurable

Type of electric connection (EF003961)

Cable

Type of light (EF004029)

Polarized red light

Type of switching output (EF003962)

NPN

With communication interface RS-485 (EF007314)

No

With communication interface SSD (EF007315)

No

With communication interface SSI (EF007316)

No

Analogue output 0 mA ... 20 mA (EF006808)

No...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E3ZM-R61 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.