

INDUSTRIAL COMPONENT DATA

D4C-6432 D4CN6432B D4C6432 OMRON Compact end of race

Brand: OMRON | Manufacturer Part Number: D4C-6432



Manufacturer	OMRON
MPN / Reference	D4C-6432
Catalog number	D4C6432
Category	End switch
Minimum order	1 Pcs
Document ID	EO-095DFE2D2C
Generated	2026-08-02

Product Overview

Compact end of race
Compact enclosed limit switch

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Industrial Limit switches / Pushbuttons > D4C

Additional Product Information

ETIM for 134264 Sensors (EC000030)
Feature Name
Feature Value
Explosion safety category for dust (EF003998)
None
Construction type housing (EF004008)
Cuboid
Degree of protection (NEMA) (EF011959)
Other
Coating housing (EF001601)
Other
Degree of protection (IP) (EF005474)
IP67
Alignment of the control element (EF008793)
Roller cam straight

Type of control element (EF006976)
Roller cam

Type of interface for safety communication (EF003956)
None

Type of electric connection (EF003961)
With cable preassembled

Type of interface (EF006977)
None

Switching function (EF000189)
Quick-break switch

Housing material (EF001596)
Metal

Explosion safety category for gas (EF003997)
None

Switching function latching (EF007447)
No

With status indication (EF001602)
Yes

Suitable for safety functions (EF001597)
No

Forced opening (EF006694)
No

Output electronic (EF006987)
No

Number of contacts as change-over contact (EF008257)
1

Number of contacts as normally open contact (EF008256)
0

Number of safety auxiliary contacts (EF006940)
0

Rated operation current I_e at DC-13, 24 V (EF007087)
0.1 A

Number of contacts as normally closed contact (EF008255)
0

Width sensor (EF007094)
40 mm

Height of sensor (EF007283)
65.3 mm

Length of sensor (EF007334)
16 mm

Ambient temperature during operating (EF007515)
-10 °C

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / D4C-6432 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.