

INDUSTRIAL COMPONENT DATA

E2S-W24 1M E2S 7056D E2SW241MOMS OMRON Miniature rectangular Inductive, front face sensing, unshielded, 2.5m..

Brand: OMRON | Manufacturer Part Number: E2S-W24 1M



Manufacturer	OMRON
MPN / Reference	E2S-W24 1M
Catalog number	E2SW241MOMS
Category	Inductive proximity switch
Minimum order	1 Pcs
Document ID	EO-D083563BFE
Generated	2026-07-29

Product Overview

Miniature rectangular Inductive, front face sensing, unshielded, 2.5mm, NPN, NC, 1M cable
 Miniature rectangular Inductive, top surface detection, unshielded, 2.5 mm, NPN, NC, 1M cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Proximity Sensors > Others

Additional Product Information

ETIM for 231609 Sensors (EC002714)
 Feature Name
 Feature Value
 Explosion safety category for dust (EF003998)
 None
 Voltage type (EF000187)
 DC
 Construction type housing (EF004008)
 Cuboid
 Degree of protection (NEMA) (EF011959)
 Other
 Coating housing (EF001601)
 Other
 Mechanical mounting condition for sensor (EF004041)

Not flat

Performance level according to EN ISO 13849-1 (EF007399)

None

Type of interface for safety communication (EF003956)

None

Type of actuation (EF006949)

Metallic Target

Type of switch function (EF003963)

Breaker contact

Type of electric connection (EF003961)

Cable

Type of interface (EF006977)

None

SIL according to IEC 61508 (EF009889)

None

Housing material (EF001596)

Plastic

Type of switching output (EF003962)

NPN

Interference resistance to magnetic fields (EF008275)

Immune against magnetic DC-field

Explosion safety category for gas (EF003997)

None

Cascadable (EF000507)

No

With monitoring function downstream switching devices (EF004052)

No

Compression-resistant (EF007106)

No

Suitable for safety functions (EF001597)

No

Number of protected contact energized outputs (EF003952)

0

Number of semiconductor outputs with signalling function (EF003945)

1

Number of protected semiconductor outputs (EF003951)

0

Width sensor (EF007094)

8 mm

Height of sensor (EF007283)

7.4 mm

Switching distance (EF003647)

2.5 mm

Length of sensor (EF007334)

23 mm

Switching frequency (EF003587)

1000 Hz

Number of contact energized outputs with signalling function (EF003946)

0

Supply voltage (EF0...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E2S-W24 1M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.