

INDUSTRIAL COMPONENT DATA

E32-T24S 2M E32 1524C E32T24S2M OMRON Barrier right Angle Narrow, 3 mm dia., 2m

Brand: OMRON | Manufacturer Part Number: E32-T24S 2M



Manufacturer	OMRON
MPN / Reference	E32-T24S 2M
Catalog number	E32T24S2M
Category	Optical fibre sensor / optical fibre amplifier
Minimum order	1 Pcs
Document ID	EO-BB6EA9B996
Generated	2026-08-03

Product Overview

Barrier right Angle Narrow, 3 mm dia., 2m

Fiber optic sensor head, through-beam, cylindrical radial, diameter 3.5 mm, R10 fiber, 2 m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Photoelectric sensors > E32

Additional Product Information

Sensing methodThrough-beamShapeCylindrical radialSizedia 3.5 mmApplicationObject detection, Wafer mappingTemperature range-40-70 °CSensing distance4000 mmCable length2 mBending radius10 mmFree cutMaterial corePlasticDegree of protection (IP)IP50Sensing surface orientationSide-viewMaterial sheathPVC

ETIM for 374493 Sensors (EC002651)

Feature Name

Feature Value

Voltage type (EF000187)

Other

Construction type housing (EF004008)

Rod

Laser protection class (EF004027)

Other

Degree of protection (IP) (EF005474)

IP67

Setting procedure (EF003994)
Other
Indication (EF000350)
Other
Type of switch function (EF003963)
Programmable/configurable
Type of electric connection (EF003961)
Cable
Material fibre optics core (EF004137)
Plastic
Housing material (EF001596)
Stainless steel
Type of light (EF004029)
Polarity free red light
Material of cable sheath (EF004136)
Polyvinyl chloride (PVC)
Type of switching output (EF003962)
Other
Operation agent-safety class (EF003982)
Safety class 0
Analogue output -10 V ... +10 V (EF006809)
No
Analogue output 0 V ... 10 V (EF006807)
No
Analogue output 0 mA ... 20 mA (EF006808)
No
With blanking function (EF003968)
No
Analogue output 4 mA ... 20 mA (EF006810)
No
With time function (EF003582)
No
Nominal operating distance (EF004059)
350 mm
Number of semiconductor outputs with signalling function (EF003945)
0
Height amplifier (EF007284)
33.5 mm
Length amplifier (EF007335)
71.8 mm
Diameter sensor (EF007111)
3 mm
Number of contact energized outputs with signallin...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E32-T24S 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.