

INDUSTRIAL COMPONENT DATA

E3JK-RP12 2M E3JK2038B E3JKRP122MOMI OMRON

Photoelectric sensor 50x50 Multialim. Mirror Polariz 6m PNP Cable..

Brand: OMRON | Manufacturer Part Number: E3JK-RP12 2M



Manufacturer	OMRON
MPN / Reference	E3JK-RP12 2M
Catalog number	E3JKRP122MOMI
Category	Retroreflective photoelectric sensor
Minimum order	1 Pcs
Document ID	EO-637E7B9D96
Generated	2026-08-04

Product Overview

Photoelectric sensor 50x50 Multialim. Mirror Polariz 6m PNP Cable 2m LITE

Photoelectric sensor, square body, red LED, retro-reflective, polarized, 6m, PNP, L-ON/D-ON selectable, 2m cable

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path OMRON > Photoelectric sensors > E3JK-Lite

Additional Product Information

ShapeCuboidSensing methodRetro-reflectiveSensing distance10000 mmSensing distance (min.)100 mmSetting methodManual adjustmentConnection methodCableCable length2 mOutput typePNPOperation modeDark-ON, Light-ONResponse time1 msMaterial housingABSThread sizeOtherProduct Width (unpacked)18 mmProduct Height (unpacked)52 mmProduct Depth (unpacked)50 mmType of lightPolarized red lightPower supply voltage10-30 V

FeaturesM.S.R.Degree of protection (IP)IP64

ETIM for 668836 Sensors (EC002717)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

Other

Degree of protection (IP) (EF005474)

IP64

Material of optical surface (EF004134)
Plastic
Type of interface for safety communication (EF003956)
Other
Housing material (EF001596)
Plastic
Operation agent-safety class (EF003982)
Safety class 2
Explosion safety category for gas (EF003997)
None
Explosion safety category for dust (EF003998)
None
Voltage type (EF000187)
DC
Construction type housing (EF004008)
Cuboid
Laser protection class (EF004027)
None
Setting procedure (EF003994)
Manual adjustment
Sensing mode (EF007503)
Light-/dark switching
Type of switch function (EF003963)
Normally open contact (NO)
Type of electric connection (EF003961)
Cable
Type of light (EF004029)
Polarized red light
Type of switching output (EF003962)
PNP
With communication interface RS-485 (EF007314)
No
With communication interface SSD (EF007315)
No
With communication interface SSI (EF007316)
No
Analogue output 0 mA ... 20 mA (EF006808)
No
With communicatio...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send OMRON / E3JK-RP12 2M with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.